

# NT900: Anticoagulation Management: Practice and Theory

## Reading List

View Online



[1]

Anticoagulation Europe: <http://www.anticoagulationeurope.org/>.

[2]

British Society for Haematology: <http://www.b-s-h.org.uk/>.

[3]

CLOT UK: <http://www.clotuk.com/>.

[4]

England, J.M. et al. 2013. Guidelines for near patient testing: haematology. *International Journal of Laboratory Hematology*. 17, 4 (2013), 301–310.  
DOI:<https://doi.org/10.1111/j.1365-2257.1995.tb01269.x>.

[5]

Fitzmaurice, D.A. et al. 2007. Screening versus routine practice in detection of atrial fibrillation in patients aged 65 or over: cluster randomised controlled trial. *BMJ*. 335, 7616 (2007), 383–383. DOI:<https://doi.org/10.1136/bmj.39280.660567.55>.

[6]

Fitzmaurice, D.A. and Machin, S.J. 2001. Recommendations for patients undertaking self management of oral anticoagulation. *BMJ*. 323, 7319 (2001), 985–989.

DOI:<https://doi.org/10.1136/bmj.323.7319.985>.

[7]

Fitzmaurice, D.A. and Murray, E.T. eds. 2013. Oral anticoagulation management and stroke prevention. Hayward Medical Communications.

[8]

Heneghan, C. et al. 2012. Self-monitoring of oral anticoagulation: systematic review and meta-analysis of individual patient data. *The Lancet*. 379, 9813 (2012), 322–334.  
DOI:[https://doi.org/10.1016/S0140-6736\(11\)61294-4](https://doi.org/10.1016/S0140-6736(11)61294-4).

[9]

Jennings, I. et al. 2014. Patient self-testing and self-management of oral anticoagulation with vitamin K antagonists: guidance from the British Committee for Standards in Haematology. *British Journal of Haematology*. 167, 5 (2014), 600–607.  
DOI:<https://doi.org/10.1111/bjh.13070>.

[10]

Keeling, D. et al. 2011. Guidelines on oral anticoagulation with warfarin - fourth edition. *British Journal of Haematology*. 154, 3 (2011), 311–324.  
DOI:<https://doi.org/10.1111/j.1365-2141.2011.08753.x>.

[11]

Mant, J. et al. 2007. Warfarin versus aspirin for stroke prevention in an elderly community population with atrial fibrillation (the Birmingham Atrial Fibrillation Treatment of the Aged Study, BAFTA): a randomised controlled trial. *The Lancet*. 370, 9586 (2007), 493–503.  
DOI:[https://doi.org/10.1016/S0140-6736\(07\)61233-1](https://doi.org/10.1016/S0140-6736(07)61233-1).

[12]

National Patient Safety Agency: <http://www.npsa.nhs.uk/>.

[13]

NHS Purchasing and Supply Agency Buyers guide: point of care coagulometers for monitoring oral anticoagulation. Centre for Evidence Based Purchasing.

[14]

NICE | The National Institute for Health and Care Excellence: <https://www.nice.org.uk/>.

[15]

2014. Atrial fibrillation: management: Guidance and guidelines. NICE.