

# NT900: Anticoagulation Management: Practice and Theory

## Reading List

View Online



[1]

'Atrial fibrillation: management: Guidance and guidelines'. NICE, 2014 [Online]. Available: <https://www.nice.org.uk/guidance/cg180>

[2]

D. Keeling et al., 'Guidelines on oral anticoagulation with warfarin - fourth edition', *British Journal of Haematology*, vol. 154, no. 3, pp. 311-324, 2011, doi: 10.1111/j.1365-2141.2011.08753.x. [Online]. Available: <http://0-onlinelibrary.wiley.com.pugwash.lib.warwick.ac.uk/doi/10.1111/j.1365-2141.2011.08753.x/abstract>

[3]

J. M. England et al., 'Guidelines for near patient testing: haematology', *International Journal of Laboratory Hematology*, vol. 17, no. 4, pp. 301-310, 2013, doi: 10.1111/j.1365-2257.1995.tb01269.x. [Online]. Available: <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2141.2008.07274.x/pdf>

[4]

I. Jennings, D. Kitchen, D. Keeling, D. Fitzmaurice, and C. Heneghan, 'Patient self-testing and self-management of oral anticoagulation with vitamin K antagonists: guidance from the British Committee for Standards in Haematology', *British Journal of Haematology*, vol. 167, no. 5, pp. 600-607, 2014, doi: 10.1111/bjh.13070. [Online]. Available: <http://0-onlinelibrary.wiley.com.pugwash.lib.warwick.ac.uk/doi/10.1111/bjh.13070/full>

[5]

C. Heneghan et al., 'Self-monitoring of oral anticoagulation: systematic review and meta-analysis of individual patient data', *The Lancet*, vol. 379, no. 9813, pp. 322–334, 2012, doi: 10.1016/S0140-6736(11)61294-4. [Online]. Available: <http://0-www.sciencedirect.com.pugwash.lib.warwick.ac.uk/science/article/pii/S014067361612944?via%3Dihub>

[6]

J. Mant et al., 'Warfarin versus aspirin for stroke prevention in an elderly community population with atrial fibrillation (the Birmingham Atrial Fibrillation Treatment of the Aged Study, BAFTA): a randomised controlled trial', *The Lancet*, vol. 370, no. 9586, pp. 493–503, 2007, doi: 10.1016/S0140-6736(07)61233-1. [Online]. Available: <http://0-www.sciencedirect.com.pugwash.lib.warwick.ac.uk/science/article/pii/S0140673607612331?via%3Dihub>

[7]

D. A. Fitzmaurice et al., 'Screening versus routine practice in detection of atrial fibrillation in patients aged 65 or over: cluster randomised controlled trial', *BMJ*, vol. 335, no. 7616, pp. 383–383, 2007, doi: 10.1136/bmj.39280.660567.55. [Online]. Available: <http://0-www.bmj.com.pugwash.lib.warwick.ac.uk/content/335/7616/383>

[8]

D. A. Fitzmaurice and S. J. Machin, 'Recommendations for patients undertaking self management of oral anticoagulation', *BMJ*, vol. 323, no. 7319, pp. 985–989, 2001, doi: 10.1136/bmj.323.7319.985. [Online]. Available: <http://0-www.bmj.com.pugwash.lib.warwick.ac.uk/content/323/7319/985>

[9]

NHS Purchasing and Supply Agency, 'Buyers guide: point of care coagulometers for monitoring oral anticoagulation.' Centre for Evidence Based Purchasing, London [Online]. Available: <http://nhscep.useconnect.co.uk/ShowDocument.ashx?id=58&i=true>

[10]

D. A. Fitzmaurice and E. T. Murray, Eds., *Oral anticoagulation management and stroke prevention*, 4th edition. Newmarket: Hayward Medical Communications, 2013.

[11]

'NICE | The National Institute for Health and Care Excellence'. [Online]. Available: <https://www.nice.org.uk/>

[12]

'National Patient Safety Agency'. [Online]. Available: <http://www.npsa.nhs.uk/>

[13]

'Anticoagulation Europe'. [Online]. Available: <http://www.anticoagulationeurope.org/>

[14]

'British Society for Haematology'. [Online]. Available: <http://www.b-s-h.org.uk/>

[15]

'CLOT UK'. [Online]. Available: <http://www.clotuk.com/>