

# MH907: Diabetes in Pregnancy

[View Online](#)

---

1.

Bell R, Glinianaia SV, Tennant PWG, Bilous RW, Rankin J. Peri-conception hyperglycaemia and nephropathy are associated with risk of congenital anomaly in women with pre-existing diabetes: a population-based cohort study. *Diabetologia*. 2012;55(4):936-947. doi:10.1007/s00125-012-2455-y

2.

Bellamy L, Casas JP, Hingorani AD, Williams D. Type 2 diabetes mellitus after gestational diabetes: a systematic review and meta-analysis. *The Lancet*. 2009;373(9677):1773-1779. doi:10.1016/S0140-6736(09)60731-5

3.

Confidential Enquiry into Maternal and Child Health. Pregnancy in women with type 1 and type 2 diabetes 2002–2003: England, Wales and Northern Ireland. <http://www.hqip.org.uk/national-programmes/a-z-of-clinical-outcome-review-programmes/cmace-reports/>

4.

Great Britain. National Service Framework for Diabetes: Delivery Strategy. Department of Health; 2003.

5.

Poor glycated haemoglobin control and adverse pregnancy outcomes in type 1 and type 2 diabetes mellitus: Systematic review of observational studies. *BMC Pregnancy and Childbirth*. 2006;6. <https://0-pubmed-ncbi-nlm-nih-gov.pugwash.lib.warwick.ac.uk/17074087/>

6.

Kim SY, England JL, Sharma JA, Njoroge T. Gestational Diabetes Mellitus and Risk of Childhood Overweight and Obesity in Offspring: A Systematic Review. *Experimental Diabetes Research*. 2011;2011:1-9.

[https://warwick.summon.serialssolutions.com/2.0.0/link/0/eLvHCXMwjV1JS8NAFB5sD-JF3K1LGfAcm2WYjBShFGsRS7FV8RYms2ApptKk-A\\_83b5Z7KFehBxnJvCS977vzdsQisJr39uwCXGheCRYlhZAHwQIsqBck2ESRzGVpm54ME0ejtnjW\\_bk8mWrvxF9AL-ORqxOrG1v1kAN0BHtog\\_ffs2v7gdm6t8S0B7AJuKK8ja2At19107v12yDTxpcGeyhXUclcc9-wX20JcsDtD1yle9D9N39Ymv57b2sandvh10WS4VHuptmvaowKwWezKo5Xii8blaMxybpWXvfZoGbAYBnJR4rZQOy3Y45\\_Qbbt\\_TwdN3ZGduwgVtxhF4Gd8\\_9oeeGJ3icEL\\_20oQRlBlgFSwkwCoo9\\_XwPcIIJVQEJCWKB0oBiGVJJ CglPhg6rIIVSh1JY9ExapaLUP4izHkiAPUpUwUHB5pmshChH3NQfTiV-S105WSZf9oWGblxLeI41xLPrcRb6MTKeb0IjGUCBDU4-9f-c7Rj73P1c4Ga9XIIl3WI1VLPnG-jRv910Da\\_wg90JbDP](https://warwick.summon.serialssolutions.com/2.0.0/link/0/eLvHCXMwjV1JS8NAFB5sD-JF3K1LGfAcm2WYjBShFGsRS7FV8RYms2ApptKk-A_83b5Z7KFehBxnJvCS977vzdsQisJr39uwCXGheCRYlhZAHwQIsqBck2ESRzGVpm54ME0ejtnjW_bk8mWrvxF9AL-ORqxOrG1v1kAN0BHtog_ffs2v7gdm6t8S0B7AJuKK8ja2At19107v12yDTxpcGeyhXUclcc9-wX20JcsDtD1yle9D9N39Ymv57b2sandvh10WS4VHuptmvaowKwWezKo5Xii8blaMxybpWXvfZoGbAYBnJR4rZQOy3Y45_Qbbt_TwdN3ZGduwgVtxhF4Gd8_9oeeGJ3icEL_20oQRlBlgFSwkwCoo9_XwPcIIJVQEJCWKB0oBiGVJJ CglPhg6rIIVSh1JY9ExapaLUP4izHkiAPUpUwUHB5pmshChH3NQfTiV-S105WSZf9oWGblxLeI41xLPrcRb6MTKeb0IjGUCBDU4-9f-c7Rj73P1c4Ga9XIIl3WI1VLPnG-jRv910Da_wg90JbDP)

7.

Meltzer SJ. Prepregnancy Care: A Shared Responsibility. *Diabetes Care*. 2010;33(12):2713-2715.

<https://0-care-diabetesjournals-org.pugwash.lib.warwick.ac.uk/content/33/12/2713>

8.

Miller E, Hare JW, Cloherty JP, et al. Elevated Maternal Hemoglobin A1C in Early Pregnancy and Major Congenital Anomalies in Infants of Diabetic Mothers. *New England Journal of Medicine*. 1981;304(22):1331-1334.

<http://0-search.proquest.com.pugwash.lib.warwick.ac.uk/docview/1870344756?accountid=14888>

9.

Murphy HR, Temple RC, Ball VE, et al. Personal experiences of women with diabetes who do not attend pre-pregnancy care. *Diabetic Medicine*. 2010;27(1):92-100.

doi:10.1111/j.1464-5491.2009.02890.x

10.

Murphy HR, Roland JM, Skinner TC, et al. Effectiveness of a Regional Prepregnancy Care Program in Women With Type 1 and Type 2 Diabetes: Benefits beyond glycemic control. *Diabetes Care*. 2010;33(12):2514-2520.

<https://0-care-diabetesjournals-org.pugwash.lib.warwick.ac.uk/content/33/12/2514>

11.

National Institute for Clinical Excellence. Diabetes in pregnancy: management of diabetes and its complications from conception to the postnatal period: NICE guideline. Published online 2015. <https://www.nice.org.uk/guidance/ng3>

12.

National Institute for Clinical Excellence. Insulin Pump Therapy: Continuous subcutaneous insulin infusion for the treatment of diabetes mellitus. Published online 2008. <https://www.nice.org.uk/guidance/ta151>

13.

Pearson D, Kernaghan D, Lee R, Penney G. Short communication: The relationship between pre-pregnancy care and early pregnancy loss, major congenital anomaly or perinatal death in type I diabetes mellitus. *BJOG: An International Journal of Obstetrics & Gynaecology*. 2006;114(1):104-107. doi:10.1111/j.1471-0528.2006.01145.x

14.

Ray JG, O'brien TE, Chan WS. Preconception care and the risk of congenital anomalies in the offspring of women with diabetes mellitus: a meta-analysis. *QJM*. 2001;94(8):435-444. doi:10.1093/qjmed/94.8.435

15.

Saravanan P, Yajnik CS. Role of maternal vitamin B12 on the metabolic health of the offspring: a contributor to the diabetes epidemic? *The British Journal of Diabetes & Vascular Disease*. 2010;10(3):109-114. doi:10.1177/1474651409358015

16.

Scottish Intercollegiate Guidelines Network. Management of diabetes: a national clinical guideline. 2010;SIGN publication. <https://www.sign.ac.uk/assets/sign116.pdf>

17.

Global Library of Women's Medicine. <http://www.glowm.com/>

18.

Learn about diabetes using interactive tools.

<https://web.archive.org/web/20140618224054/http://diabetes.niddk.nih.gov/resources/HealthTools/index.aspx>

19.

National Service Framework.

<http://webarchive.nationalarchives.gov.uk/+/www.nhs.uk/nhsengland/NSF/pages/Nationalserviceframeworks.aspx>

20.

National Diabetes Support Team.

<http://webarchive.nationalarchives.gov.uk/20130316063827/http://www.diabetes.nhs.uk/>

21.

NHS Evidence. <https://www.evidence.nhs.uk/>

22.

NICE - National Institute for Health and Care Excellence. <http://www.nice.org.uk/>