

MH907: Diabetes in Pregnancy

[View Online](#)

Bell, R. et al. (2012) 'Peri-conception hyperglycaemia and nephropathy are associated with risk of congenital anomaly in women with pre-existing diabetes: a population-based cohort study', *Diabetologia*, 55(4), pp. 936–947. Available at: <https://doi.org/10.1007/s00125-012-2455-y>.

Bellamy, L. et al. (2009) 'Type 2 diabetes mellitus after gestational diabetes: a systematic review and meta-analysis', *The Lancet*, 373(9677), pp. 1773–1779. Available at: [https://doi.org/10.1016/S0140-6736\(09\)60731-5](https://doi.org/10.1016/S0140-6736(09)60731-5).

Confidential Enquiry into Maternal and Child Health (no date) 'Pregnancy in women with type 1 and type 2 diabetes 2002–2003: England, Wales and Northern Ireland'. London: CEMACH: Confidential Enquiry into Maternal and Child Health. Available at: <http://www.hqip.org.uk/national-programmes/a-z-of-clinical-outcome-review-programmes/cmace-reports/>.

Global Library of Women's Medicine (no date). Available at: <http://www.glowm.com/>.

Great Britain (2003) National service framework for diabetes: delivery strategy [electronic resource]. London: Department of Health.

Kim, S.Y. et al. (2011) 'Gestational Diabetes Mellitus and Risk of Childhood Overweight and Obesity in Offspring: A Systematic Review', *Experimental Diabetes Research*, 2011, pp. 1–9. Available at: https://warwick.summon.serialssolutions.com/2.0.0/link/0/eLvHCXMwjV1JS8NAFB5sD-JF3K1LGfAcm2WjyBSHfGSR57FV8RYms2ApptKk-A_83b5Z7KFehBxnJvCS977vzdsQisJr39uwCXGheCRYIhZAHwQlsqBck2ESRzGVpm54ME0ejtnjW_bk8mWrvxF9AL-ORqxOrG1v1kAN0BHtog_ffs2v7gdm6t8S0B7AJuKK8ja2At19107v12yDTxpcGeyhXUclcc9-wX20JcsDtD1yle9D9N39YMv57b2sandvh10WS4VHuptmvaowKwWezKo5Xii8blaMxybpWXvfZoGbAYBnJR4rZQOy3Y45_Qbbt_TwdN3ZGduwgVtxhF4Gd8_9oeGJ3icEL_20oQRlbgFSwkwCoo9_XwPclJVQEJCWKB0oBiGVJJ CglPhg6rlIVSh1JY9ExapaLUp4izHkiAPUpUwUHb5pmshChH3NQfTiV-S105WSZf9oWGblxLei41xLPrcRb6MTKeb0ljGUCBDU4-9f-c7Rj73P1c4Ga9XIL3WI1VLPnG-jRv910Da_wg9OJbDP.

Learn about diabetes using interactive tools (no date). Available at: <https://web.archive.org/web/20140618224054/http://diabetes.niddk.nih.gov/resources/HealthTools/index.aspx>.

Meltzer, S.J. (2010) 'Pregpregnancy Care: A Shared Responsibility', *Diabetes Care*, 33(12), pp. 2713–2715. Available at: <https://0-care-diabetesjournals-org.pugwash.lib.warwick.ac.uk/content/33/12/2713>.

Miller, E. et al. (1981) 'Elevated Maternal Hemoglobin A1C in Early Pregnancy and Major

Congenital Anomalies in Infants of Diabetic Mothers', *New England Journal of Medicine*, 304(22), pp. 1331–1334. Available at: <http://0-search.proquest.com.pugwash.lib.warwick.ac.uk/docview/1870344756?accountid=14888>.

Murphy, H.R., Roland, J.M., et al. (2010) 'Effectiveness of a Regional Prepregnancy Care Program in Women With Type 1 and Type 2 Diabetes: Benefits beyond glycemic control', *Diabetes Care*, 33(12), pp. 2514–2520. Available at: <https://0-care-diabetesjournals-org.pugwash.lib.warwick.ac.uk/content/33/12/2514>.

Murphy, H.R., Temple, R.C., et al. (2010) 'Personal experiences of women with diabetes who do not attend pre-pregnancy care', *Diabetic Medicine*, 27(1), pp. 92–100. Available at: <https://doi.org/10.1111/j.1464-5491.2009.02890.x>.

National Diabetes Support Team (no date). Available at: <http://webarchive.nationalarchives.gov.uk/20130316063827/http://www.diabetes.nhs.uk/>.

National Institute for Clinical Excellence (2008) 'Insulin Pump Therapy: Continuous subcutaneous insulin infusion for the treatment of diabetes mellitus'. National Institute for Clinical Excellence. Available at: <https://www.nice.org.uk/guidance/ta151>.

National Institute for Clinical Excellence (2015) 'Diabetes in pregnancy: management of diabetes and its complications from conception to the postnatal period: NICE guideline.' National Institute for Clinical Excellence. Available at: <https://www.nice.org.uk/guidance/ng3>.

National Service Framework (no date). Available at: <http://webarchive.nationalarchives.gov.uk/+www.nhs.uk/nhsengland/NSF/pages/Nationalserviceframeworks.aspx>.

NHS Evidence (no date). Available at: <https://www.evidence.nhs.uk/>.

NICE - National Institute for Health and Care Excellence (no date). Available at: <http://www.nice.org.uk/>.

Pearson, D. et al. (2006) 'Short communication: The relationship between pre-pregnancy care and early pregnancy loss, major congenital anomaly or perinatal death in type 1 diabetes mellitus', *BJOG: An International Journal of Obstetrics & Gynaecology*, 114(1), pp. 104–107. Available at: <https://doi.org/10.1111/j.1471-0528.2006.01145.x>.

'Poor glyated haemoglobin control and adverse pregnancy outcomes in type 1 and type 2 diabetes mellitus: Systematic review of observational studies' (2006) *BMC Pregnancy and Childbirth*, 6. Available at: <https://0-pubmed-ncbi-nlm-nih-gov.pugwash.lib.warwick.ac.uk/17074087/>.

Ray, J.G., O'brien, T.E. and Chan, W.S. (2001) 'Preconception care and the risk of congenital anomalies in the offspring of women with diabetes mellitus: a meta-analysis', *QJM*, 94(8), pp. 435–444. Available at: <https://doi.org/10.1093/qjmed/94.8.435>.

Saravanan, P. and Yajnik, C.S. (2010) 'Role of maternal vitamin B12 on the metabolic health of the offspring: a contributor to the diabetes epidemic?', *The British Journal of*

Diabetes & Vascular Disease, 10(3), pp. 109–114. Available at:
<https://doi.org/10.1177/1474651409358015>.

Scottish Intercollegiate Guidelines Network (2010) 'Management of diabetes: a national clinical guideline'. Edinburgh: SIGN. Available at:
<https://www.sign.ac.uk/assets/sign116.pdf>.