

MH907: Diabetes in Pregnancy

[View Online](#)

Bell, R., et al. 'Peri-Conception Hyperglycaemia and Nephropathy Are Associated with Risk of Congenital Anomaly in Women with Pre-Existing Diabetes: A Population-Based Cohort Study'. *Diabetologia*, vol. 55, no. 4, 2012, pp. 936–47, <https://doi.org/10.1007/s00125-012-2455-y>.

Bellamy, Leanne, et al. 'Type 2 Diabetes Mellitus after Gestational Diabetes: A Systematic Review and Meta-Analysis'. *The Lancet*, vol. 373, no. 9677, 2009, pp. 1773–79, [https://doi.org/10.1016/S0140-6736\(09\)60731-5](https://doi.org/10.1016/S0140-6736(09)60731-5).

Confidential Enquiry into Maternal and Child Health. Pregnancy in Women with Type 1 and Type 2 Diabetes 2002–2003: England, Wales and Northern Ireland. CEMACH: Confidential Enquiry into Maternal and Child Health, <http://www.hqip.org.uk/national-programmes/a-z-of-clinical-outcome-review-programmes/cemach-reports/>.

Global Library of Women's Medicine. <http://www.glowm.com/>.

Great Britain. National Service Framework for Diabetes: Delivery Strategy. electronic resource, Department of Health, 2003.

Kim, Shin Y., et al. 'Gestational Diabetes Mellitus and Risk of Childhood Overweight and Obesity in Offspring: A Systematic Review'. *Experimental Diabetes Research*, vol. 2011, 2011, pp. 1–9, https://warwick.summon.serialssolutions.com/2.0.0/link/0/eLvHCXMwjV1JS8NAFB5sD-JF3K1LGfAcm2WjyBShFGsRS7FV8RYms2ApptKk-A_83b5Z7KFehBxnJvCS977vzdsQisJr39uwCXGheCRYlhZAHwQlsqBck2ESRzGVpm54ME0ejtnjW_bk8mWrvxF9AL-ORqxOrG1v1kAN0BHtog_ffs2v7gdm6t8S0B7AJuKK8ja2At19107v12yDTxpcGeyhXUclcc9-wX20JcsDtD1yle9D9N39Ymv57b2sandvh10WS4VHuptmvaowKwWezKo5Xii8blaMxybpWXvfZoGbAYBnJR4rZQOy3Y45_Qbbt_TwdN3ZGduwgVtxhF4Gd8_9oeGJ3icEL_20oQRlBlgFSwkwCoo9_XwPcllJVQEJCWKB0oBiGVJJ CglPhg6rlIVSh1JY9ExapaLUp4izHkiAPUpUwUHb5pmshChH3NQfTiV-S105WSZf9oWGblxLei41xLPrcRb6MTKeb0ljGUCBDU4-9f-c7Rj73P1c4Ga9XIL3WI1VLPnG-jRv910Da_wg9OjbDP.

Learn about Diabetes Using Interactive Tools. <https://web.archive.org/web/20140618224054/http://diabetes.niddk.nih.gov/resources/HealthTools/index.aspx>.

Meltzer, S. J. 'Pregpregnancy Care: A Shared Responsibility'. *Diabetes Care*, vol. 33, no. 12, 2010, pp. 2713–15, <https://0-care-diabetesjournals-org.pugwash.lib.warwick.ac.uk/content/33/12/2713>.

Miller, Edith, et al. 'Elevated Maternal Hemoglobin A1C in Early Pregnancy and Major

Congenital Anomalies in Infants of Diabetic Mothers'. *New England Journal of Medicine*, vol. 304, no. 22, 1981, pp. 1331–34,
<http://0-search.proquest.com.pugwash.lib.warwick.ac.uk/docview/1870344756?accountid=14888>.

Murphy, H. R., J. M. Roland, et al. 'Effectiveness of a Regional Prepregnancy Care Program in Women With Type 1 and Type 2 Diabetes: Benefits beyond Glycemic Control'. *Diabetes Care*, vol. 33, no. 12, 2010, pp. 2514–20,
<https://0-care-diabetesjournals-org.pugwash.lib.warwick.ac.uk/content/33/12/2514>.

Murphy, H. R., R. C. Temple, et al. 'Personal Experiences of Women with Diabetes Who Do Not Attend Pre-Pregnancy Care'. *Diabetic Medicine*, vol. 27, no. 1, 2010, pp. 92–100,
<https://doi.org/10.1111/j.1464-5491.2009.02890.x>.

National Diabetes Support Team.

<http://webarchive.nationalarchives.gov.uk/20130316063827/http://www.diabetes.nhs.uk/>.

National Institute for Clinical Excellence. *Diabetes in Pregnancy: Management of Diabetes and Its Complications from Conception to the Postnatal Period: NICE Guideline*. National Institute for Clinical Excellence, 2015, <https://www.nice.org.uk/guidance/ng3>.

---. *Insulin Pump Therapy: Continuous Subcutaneous Insulin Infusion for the Treatment of Diabetes Mellitus*. National Institute for Clinical Excellence, 2008,
<https://www.nice.org.uk/guidance/ta151>.

National Service Framework.

<http://webarchive.nationalarchives.gov.uk/+/www.nhs.uk/nhsengland/NSF/pages/Nationalserviceframeworks.aspx>.

NHS Evidence. <https://www.evidence.nhs.uk/>.

NICE - National Institute for Health and Care Excellence. <http://www.nice.org.uk/>.

Pearson, DWM, et al. 'Short Communication: The Relationship between Pre-Pregnancy Care and Early Pregnancy Loss, Major Congenital Anomaly or Perinatal Death in Type I Diabetes Mellitus'. *BJOG: An International Journal of Obstetrics & Gynaecology*, vol. 114, no. 1, 2006, pp. 104–07, <https://doi.org/10.1111/j.1471-0528.2006.01145.x>.

'Poor Glycated Haemoglobin Control and Adverse Pregnancy Outcomes in Type 1 and Type 2 Diabetes Mellitus: Systematic Review of Observational Studies'. *BMC Pregnancy and Childbirth*, vol. 6, 2006,
<https://0-pubmed-ncbi-nlm-nih-gov.pugwash.lib.warwick.ac.uk/17074087/>.

Ray, J. G., et al. 'Preconception Care and the Risk of Congenital Anomalies in the Offspring of Women with Diabetes Mellitus: A Meta-Analysis'. *QJM*, vol. 94, no. 8, 2001, pp. 435–44,
<https://doi.org/10.1093/qjmed/94.8.435>.

Saravanan, P., and C. S. Yajnik. 'Role of Maternal Vitamin B12 on the Metabolic Health of the Offspring: A Contributor to the Diabetes Epidemic?' *The British Journal of Diabetes & Vascular Disease*, vol. 10, no. 3, 2010, pp. 109–14,
<https://doi.org/10.1177/1474651409358015>.

Scottish Intercollegiate Guidelines Network. Management of Diabetes: A National Clinical Guideline. electronic resource, SIGN, 2010, <https://www.sign.ac.uk/assets/sign116.pdf>.