

# MH907: Diabetes in Pregnancy

[View Online](#)

---

1.

Bell, R., Glinianaia, S. V., Tennant, P. W. G., Bilous, R. W. & Rankin, J. Peri-conception hyperglycaemia and nephropathy are associated with risk of congenital anomaly in women with pre-existing diabetes: a population-based cohort study. *Diabetologia* **55**, 936–947 (2012).

2.

Bellamy, L., Casas, J.-P., Hingorani, A. D. & Williams, D. Type 2 diabetes mellitus after gestational diabetes: a systematic review and meta-analysis. *The Lancet* **373**, 1773–1779 (2009).

3.

Confidential Enquiry into Maternal and Child Health. Pregnancy in women with type 1 and type 2 diabetes 2002–2003: England, Wales and Northern Ireland.

4.

Great Britain. National service framework for diabetes: delivery strategy. (Department of Health, 2003).

5.

Poor glycated haemoglobin control and adverse pregnancy outcomes in type 1 and type 2 diabetes mellitus: Systematic review of observational studies. *BMC Pregnancy and Childbirth* **6**, (2006).

6.

Kim, S. Y., England, J. L., Sharma, J. A. & Njoroge, T. Gestational Diabetes Mellitus and Risk of Childhood Overweight and Obesity in Offspring: A Systematic Review. *Experimental Diabetes Research* **2011**, 1–9 (2011).

7.

Meltzer, S. J. Prepregnancy Care: A Shared Responsibility. *Diabetes Care* **33**, 2713–2715 (2010).

8.

Miller, E. et al. Elevated Maternal Hemoglobin A1C in Early Pregnancy and Major Congenital Anomalies in Infants of Diabetic Mothers. *New England Journal of Medicine* **304**, 1331–1334 (1981).

9.

Murphy, H. R. et al. Personal experiences of women with diabetes who do not attend pre-pregnancy care. *Diabetic Medicine* **27**, 92–100 (2010).

10.

Murphy, H. R. et al. Effectiveness of a Regional Prepregnancy Care Program in Women With Type 1 and Type 2 Diabetes: Benefits beyond glycemic control. *Diabetes Care* **33**, 2514–2520 (2010).

11.

National Institute for Clinical Excellence. Diabetes in pregnancy: management of diabetes and its complications from conception to the postnatal period: NICE guideline. (2015).

12.

National Institute for Clinical Excellence. Insulin Pump Therapy: Continuous subcutaneous insulin infusion for the treatment of diabetes mellitus. (2008).

13.

Pearson, D., Kernaghan, D., Lee, R. & Penney, G. Short communication: The relationship between pre-pregnancy care and early pregnancy loss, major congenital anomaly or perinatal death in type I diabetes mellitus. *BJOG: An International Journal of Obstetrics & Gynaecology* **114**, 104–107 (2006).

14.

Ray, J. G., O'Brien, T. E. & Chan, W. S. Preconception care and the risk of congenital anomalies in the offspring of women with diabetes mellitus: a meta-analysis. *QJM* **94**, 435–444 (2001).

15.

Saravanan, P. & Yajnik, C. S. Role of maternal vitamin B12 on the metabolic health of the offspring: a contributor to the diabetes epidemic? *The British Journal of Diabetes & Vascular Disease* **10**, 109–114 (2010).

16.

Scottish Intercollegiate Guidelines Network. Management of diabetes: a national clinical guideline. vol. SIGN publication (2010).

17.

Global Library of Women's Medicine. <http://www.glowm.com/>.

18.

Learn about diabetes using interactive tools.  
<https://web.archive.org/web/20140618224054/http://diabetes.niddk.nih.gov/resources/HealthTools/index.aspx>.

19.

National Service Framework.  
<http://webarchive.nationalarchives.gov.uk/+/www.nhs.uk/nhsengland/NSF/pages/NationalServiceFrameworks.aspx>.

20.

National Diabetes Support Team.

<http://webarchive.nationalarchives.gov.uk/20130316063827/http://www.diabetes.nhs.uk/>.

21.

NHS Evidence. <https://www.evidence.nhs.uk/>.

22.

NICE - National Institute for Health and Care Excellence. <http://www.nice.org.uk/>.