


# MH905: Management of Diabetes in Adolescence

[View Online](#)

---

[1]

Allen, D. and et al. 2010. The transition from paediatric to adult diabetes services: what works, for whom and in what circumstances? National Institute for Health Research.

[2]

Amiel, S. and Buchanan, C. 2009. Diabetes mellitus. Brook's clinical pediatric endocrinology. Wiley-Blackwell.

[3]

Child Protection Guidelines via Royal College of Paediatrics and Child Health:  
<http://www.rcpch.ac.uk/child-health/standards-care/child-protection/publications/child-protection-publications>.

[4]

Christie, D. 2005. Adolescent development. BMJ. 330, 7486 (2005), 301-304.  
DOI:<https://doi.org/10.1136/bmj.330.7486.301>.

[5]

Department of Health 2006. Transition: getting it right for young people.

[6]

Diabetes UK 2010. Emotional and Psychological Support and Care in Diabetes.

[7]

Diabetes UK. and Great Britain 2005. Structured patient education in diabetes: report from the Patient Education Working Group. Dept. of Health.

[8]

Dovey-Pearce, G. et al. 2005. Young adults' (16-25 years) suggestions for providing developmentally appropriate diabetes services: a qualitative study. *Health and Social Care in the Community*. 13, 5 (2005), 409-419.

DOI:<https://doi.org/10.1111/j.1365-2524.2005.00577.x>.

[9]

Fitzpatrick, J.J. and Goepfinger, J. 2000. *Annual Review of Nursing Research*, 18 (2000): Focus on chronic illness. Springer Pub. Co.

[10]

Forbes, A. and et al. 2002. A multi-method review to identify components of practice which may promote continuity in the transition from child to adult care for young people with chronic illness or disability. Report for the National Co-ordinating Centre for NHS Service Delivery and Organisation.

[11]

Franz, M.J. et al. 2002. Evidence-Based Nutrition Principles and Recommendations for the Treatment and Prevention of Diabetes and Related Complications. *Diabetes Care*. 25, 1 (2002), 148-198. DOI:<https://doi.org/10.2337/diacare.25.1.148>.

[12]

Gage, H. et al. 2004. Educational and psychosocial programmes for adolescents with diabetes: approaches, outcomes and cost-effectiveness. *Patient Education and Counseling*. 53, 3 (2004), 333-346. DOI:<https://doi.org/10.1016/j.pec.2003.06.003>.

[13]

George, Evan et al. 1999. Problem to solution: brief therapy with individuals and families. BT Press.

[14]

Great Britain 2004. National service framework for children, young people and maternity services: core standards. Dept. of Health.

[15]

Great Britain 2003. National service framework for diabetes: delivery strategy. Department of Health.

[16]

Great Britain 2001. National service framework for diabetes: standards. Department of Health.

[17]

Great Britain 2010. Working together to safeguard children: a guide to inter-agency working to safeguard and promote the welfare of children. The Stationery Office.

[18]

Hampson, S. and et al. 2001. Effects of educational and psychosocial interventions for adolescents with diabetes mellitus: a systematic review. Health Technology Assessment. 5, 10 (2001).

[19]

Hilton, D. 2013. Transition to Adult Services. Children's respiratory nursing. Wiley-Blackwell.

[20]

Hilton, D. and Jepson, S. 2012. Evolution of a youth work service in hospital. Nursing Children and Young People. 24, 6 (2012), 14–18.

[21]

Hilton, D. and Williams, J. Access to Leisure Activities. Children with neurodevelopmental disabilities : the essential guide to assessment and management.

[22]

Hindmarsh, P. et al. 1988. Changes in Serum Insulin Concentration during Puberty and Their Relationship to Growth Hormone. *Clinical Endocrinology*. 28, 4 (1988), 381–388.  
DOI:<https://doi.org/10.1111/j.1365-2265.1988.tb03669.x>.

[23]

Hindmarsh, P.C. et al. 1988. Relation between height velocity and fasting insulin concentrations. *Archives of Disease in Childhood*. 63, 6 (1988), 665–666.  
DOI:<https://doi.org/10.1136/adc.63.6.665>.

[24]

International Society for Pediatric and Adolescent Diabetes 2009. ISPAD Clinical Practice Consensus Guidelines.

[25]

International Society for Pediatric and Adolescent Diabetes 2009. ISPAD Clinical Practice Consensus Guidelines.

[26]

ISPAD 2011. IDF/ISPAD 2011 Global Guideline for Diabetes in Childhood and Adolescence - ISPAD - International Society for Pediatric and Adolescent Diabetes.

[27]

Kipps, S. et al. 2002. Current methods of transfer of young people with Type 1 diabetes to adult services. *Diabetic Medicine*. 19, 8 (2002), 649–654.  
DOI:<https://doi.org/10.1046/j.1464-5491.2002.00757.x>.

[28]

Kyngas, H. 2003. Patient education: perspective of adolescents with a chronic disease. *Journal of Clinical Nursing*. 12, 5 (2003), 744–751.  
DOI:<https://doi.org/10.1046/j.1365-2702.2003.00788.x>.

[29]

Larcher, V. 2005. Consent, competence, and confidentiality. *BMJ*. 330, 7487 (2005), 353–356. DOI:<https://doi.org/10.1136/bmj.330.7487.353>.

[30]

Miller, William R. and Rollnick, Stephen 2002. *Motivational interviewing: preparing people for change*. Guilford Press.

[31]

National Institute for Clinical Excellence (Great Britain) 2003. *Guidance on the use of patient education models for diabetes*. National Institute for Clinical Excellence.

[32]

NICE Guidance 2009. *The treatment and management of depression in adults with chronic physical health problems (partial update of CG23)*.

[33]

NICE Guideline 2004. *Type 1 diabetes: Diagnosis and management of type 1 diabetes in children, young people and adults*.

[34]

NICE Guidelines 2009. *Promoting young people's social and emotional wellbeing in secondary education*.

[35]

Nutrition Subcommittee of the Diabetes Care Advisory Committee of Diabete 2003. The implementation of nutritional advice for people with diabetes. *Diabetic Medicine*. 20, 10 (2003), 786–807. DOI:<https://doi.org/10.1046/j.1464-5491.2003.01104.x>.

[36]

Pacaud, D. 2005. Problems in transition for paediatric care to adult care for individuals with diabetes. *Canadian Journal of Diabetes*. 29, 1 (2005), 13–18.

[37]

RCN 2004. Adolescent Transition Care: Guidance for nursing staff.

[38]

Scott, A. and Donnelly, R. 2001. Improving outcomes for young people with diabetes: use of new technology and a skills-based training approach is urgently needed. *Diabetic Medicine*. 18, 11 (2001), 861–863. DOI:<https://doi.org/10.1046/j.1464-5491.2001.00627.x>.

[39]

Scott, L. and et al. 2005. Transition of care: researching the needs of young adults with type 1 diabetes. *Canadian Journal of Diabetes*. 29, 3 (2005), 203–210.

[40]

Silverstein, J. et al. 2005. Care of Children and Adolescents With Type 1 Diabetes: A statement of the American Diabetes Association. *Diabetes Care*. 28, 1 (2005), 186–212. DOI:<https://doi.org/10.2337/diacare.28.1.186>.

[41]

Veldhuis, J.D. et al. 2005. Endocrine Control of Body Composition in Infancy, Childhood, and Puberty. *Endocrine Reviews*. 26, 1 (2005), 114–146. DOI:<https://doi.org/10.1210/er.2003-0038>.

[42]

Viner, R. 1999. Transition from paediatric to adult care. Bridging the gaps or passing the buck? *Archives of Disease in Childhood*. 81, 3 (1999), 271–275.  
DOI:<https://doi.org/10.1136/adc.81.3.271>.

[43]

Viner, R.M. et al. 2003. Motivational/solution-focused intervention improves HbA1c in adolescents with Type 1 diabetes: a pilot study. *Diabetic Medicine*. 20, 9 (2003), 739–742.  
DOI:<https://doi.org/10.1046/j.1464-5491.2003.00995.x>.

[44]

Werther, George A. and Court, John M. 1998. *Diabetes and the adolescent*. Miranova.