

## PC903: Diabetes of the Foot

[View Online](#)

---

[1]

Abbott, C.A. et al. 2002. The North-West Diabetes Foot Care Study: incidence of, and risk factors for, new diabetic foot ulceration in a community-based patient cohort. *Diabetic Medicine*. 19, 5 (May 2002), 377–384.  
DOI:<https://doi.org/10.1046/j.1464-5491.2002.00698.x>.

[2]

Alder, A. et al. 1999. Lower-extremity amputation in diabetes: The independent effects of peripheral vascular disease, sensory neuropathy and foot ulcers. *Diabetes care*. 22:, (1999), 1029–1035.

[3]

Amos A.F., McCarty D.J., Zimmet P. 2004. The Rising Global Burden of Diabetes and its Complications: Estimates and Projections to the Year 2010. *Diabetic Medicine*. 14, S5 (2004), S7–S85.

[4]

Andros, G. and Armstrong, D.G. 2006. Consensus statement on negative pressure wound therapy (V.A.C. Therapy) for the management of diabetic foot wounds. *Ostomy/wound management*. Suppl., (2006), 1–32.

[5]

Apelqvist, J. et al. 2008. Practical guidelines on the management and prevention of the diabetic foot. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S181–S187.  
DOI:<https://doi.org/10.1002/dmrr.848>.

[6]

Apelqvist, J. 2008. The foot in perspective. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S110–S115. DOI:<https://doi.org/10.1002/dmrr.834>.

[7]

Armstrong, D.G. et al. 2008. Quality of Life in Healing Diabetic Wounds: Does the End Justify the Means? *The Journal of Foot and Ankle Surgery*. 47, 4 (Jul. 2008), 278–282. DOI:<https://doi.org/10.1053/j.jfas.2008.02.015>.

[8]

Association between glycated haemoglobin and the risk of lower extremity amputation in patients with diabetes mellitus-review and meta-analysis. - PubMed - NCBI:  
<http://www.ncbi.nlm.nih.gov/pubmed/20127309>.

[9]

Berendt, A.R. et al. 2008. Diabetic foot osteomyelitis: a progress report on diagnosis and a systematic review of treatment. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S145–S161. DOI:<https://doi.org/10.1002/dmrr.836>.

[10]

Berendt, A.R. et al. 2008. Specific guidelines for treatment of diabetic foot osteomyelitis. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S190–S191. DOI:<https://doi.org/10.1002/dmrr.853>.

[11]

Bevilacqua, N.J. et al. 2008. Diabetic foot surgery: classifying patients to predict complications. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S81–S83. DOI:<https://doi.org/10.1002/dmrr.858>.

[12]

Boulton, A.J.M. et al. 2008. Comprehensive Foot Examination and Risk Assessment: A

report of the Task Force of the Foot Care Interest Group of the American Diabetes Association, with endorsement by the American Association of Clinical Endocrinologists. *Diabetes Care*. 31, 8 (Aug. 2008), 1679–1685. DOI:<https://doi.org/10.2337/dc08-9021>.

[13]

Boyko, E.J. et al. 2006. Prediction of Diabetic Foot Ulcer Occurrence Using Commonly Available Clinical Information: The Seattle Diabetic Foot Study. *Diabetes Care*. 29, 6 (Jun. 2006), 1202–1207. DOI:<https://doi.org/10.2337/dc05-2031>.

[14]

Bus, S.A. 2008. Foot structure and footwear prescription in diabetes mellitus. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S90–S95. DOI:<https://doi.org/10.1002/dmrr.840>.

[15]

Bus, S.A. et al. 2009. Plantar pressure relief in the diabetic foot using forefoot offloading shoes. *Gait & Posture*. 29, 4 (Jun. 2009), 618–622. DOI:<https://doi.org/10.1016/j.gaitpost.2009.01.003>.

[16]

Bus, S.A. et al. 2008. Specific guidelines on footwear and offloading. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S192–S193. DOI:<https://doi.org/10.1002/dmrr.855>.

[17]

Bus, S.A. et al. 2008. The effectiveness of footwear and offloading interventions to prevent and heal foot ulcers and reduce plantar pressure in diabetes: a systematic review. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S162–S180. DOI:<https://doi.org/10.1002/dmrr.850>.

[18]

Crews, R.T. and Armstrong, D.G. 2009. A method for assessing off-loading compliance. *Journal of the American Podiatric Medical Association*. 99, 2 (2009), 3–100.

[19]

Cullum, N. et al. Systematic reviews of wound care management: (5) beds; (6) compression; (7) laser therapy, therapeutic ultrasound, electrotherapy and electromagnetic therapy. *Health Technology Assessment*. 5, 9.

[20]

Foot in Diabetes United Kingdom: <http://www.footindiabetes.org/resources>.

[21]

Gabbay, R. and Kaul, A., S. 2011. Motivational interviewing by podiatric physicians: a method for improving patient self-care of the diabetic foot. *Journal of the American Podiatric Medical Association*. 101, 1 (2011), 78–84.

[22]

Game, F. 2008. The advantages and disadvantages of non-surgical management of the diabetic foot. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S72–S75. DOI:<https://doi.org/10.1002/dmrr.816>.

[23]

Game, F.L. et al. 2012. Specific guidelines on wound and wound-bed management 2011. *Diabetes/Metabolism Research and Reviews*. 28, (Feb. 2012), 232–233. DOI:<https://doi.org/10.1002/dmrr.2250>.

[24]

Game, F.L. et al. 2006. Temporal association between the incidence of foot ulceration and the start of dialysis in diabetes mellitus. *Nephrology Dialysis Transplantation*. 21, 11 (Sep. 2006), 3207–3210. DOI:<https://doi.org/10.1093/ndt/gfl427>.

[25]

Game, F.L. and Jeffcoate, W.J. 2008. Primarily non-surgical management of osteomyelitis of the foot in diabetes. *Diabetologia*. 51, 6 (Jun. 2008), 962–967.

DOI:<https://doi.org/10.1007/s00125-008-0976-1>.

[26]

Gary Sibbald, R. and Woo, K.Y. 2008. The biology of chronic foot ulcers in persons with diabetes. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S25–S30. DOI:<https://doi.org/10.1002/dmrr.847>.

[27]

Hinchliffe, R.J. et al. 2008. A systematic review of the effectiveness of interventions to enhance the healing of chronic ulcers of the foot in diabetes. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S119–S144. DOI:<https://doi.org/10.1002/dmrr.825>.

[28]

Hingorani, A. et al. 2016. The management of diabetic foot: A clinical practice guideline by the Society for Vascular Surgery in collaboration with the American Podiatric Medical Association and the Society for Vascular Medicine. *Journal of Vascular Surgery*. 63, 2 (Feb. 2016), 3S–21S. DOI:<https://doi.org/10.1016/j.jvs.2015.10.003>.

[29]

IDF (International Diabetes Federation): <http://www.idf.org/>.

[30]

Ince, P. et al. 2007. The association between baseline characteristics and the outcome of foot lesions in a UK population with diabetes. *Diabetic Medicine*. 24, 9 (Sep. 2007), 977–981. DOI:<https://doi.org/10.1111/j.1464-5491.2007.02189.x>.

[31]

IWGDF | The International Working Group on the Diabetic Foot:  
[http://iwgdf.org/?option=com\\_content&task=view&id=16&Itemid=26](http://iwgdf.org/?option=com_content&task=view&id=16&Itemid=26).

[32]

Jeffcoate, W. et al. 2009. Putting feet first-national guidance at last. *Diabetic Medicine*. 26, 11 (Nov. 2009), 1081–1082. DOI:<https://doi.org/10.1111/j.1464-5491.2009.02861.x>.

[33]

Jeffcoate, W. 2004. Vascular calcification and osteolysis in diabetic neuropathy? is RANK-L the missing link? *Diabetologia*. 47, 9 (Sep. 2004), 1488–1492. DOI:<https://doi.org/10.1007/s00125-004-1477-5>.

[34]

Jeffcoate, W.J. et al. 2006. Assessing the Outcome of the Management of Diabetic Foot Ulcers Using Ulcer-Related and Person-Related Measures. *Diabetes Care*. 29, 8 (Aug. 2006), 1784–1787. DOI:<https://doi.org/10.2337/dc06-0306>.

[35]

Jeffcoate, W.J. 2008. Charcot neuro-osteoarthropathy. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S62–S65. DOI:<https://doi.org/10.1002/dmrr.837>.

[36]

Jeffcoate, W.J. et al. 2005. The role of proinflammatory cytokines in the cause of neuropathic osteoarthropathy (acute Charcot foot) in diabetes. *The Lancet*. 366, 9502 (Dec. 2005), 2058–2061. DOI:[https://doi.org/10.1016/S0140-6736\(05\)67029-8](https://doi.org/10.1016/S0140-6736(05)67029-8).

[37]

Jeffcoate, W.J. and Price, P.E. 2009. Randomised controlled trial of the use of three dressing preparations in the management of chronic ulceration of the foot in diabetes. *Health Technology Assessment*. 13, 54 (2009), 1–86.

[38]

Krishnan, S. et al. 2008. Reduction in Diabetic Amputations Over 11 Years in a Defined U.K. Population: Benefits of multidisciplinary team work and continuous prospective audit. *Diabetes Care*. 31, 1 (Jan. 2008), 99–101. DOI:<https://doi.org/10.2337/dc07-1178>.

[39]

Krishnan, S.T.M. et al. 2009. Abnormal LDlflare but Normal Quantitative Sensory Testing and Dermal Nerve Fiber Density in Patients with Painful Diabetic Neuropathy. *Diabetes Care*. 32, 3 (Mar. 2009), 451–455. DOI:<https://doi.org/10.2337/dc08-1453>.

[40]

Lavery, L.A. et al. 2007. Validation of the Infectious Diseases Society of America's Diabetic Foot Infection Classification System. *Clinical Infectious Diseases*. 44, 4 (Feb. 2007), 562–565. DOI:<https://doi.org/10.1086/511036>.

[41]

Lincoln, N.B. et al. 2008. Education for secondary prevention of foot ulcers in people with diabetes: a randomised controlled trial. *Diabetologia*. 51, 11 (Nov. 2008), 1954–1961. DOI:<https://doi.org/10.1007/s00125-008-1110-0>.

[42]

Maciejewski, M.L. et al. 2004. Effectiveness of Diabetic Therapeutic Footwear in Preventing Reulceration. *Diabetes Care*. 27, 7 (Jul. 2004), 1774–1782. DOI:<https://doi.org/10.2337/diacare.27.7.1774>.

[43]

Margolis, D.J. et al. 2008. Association Between Renal Failure and Foot Ulcer or Lower-Extremity Amputation in Patients With Diabetes. *Diabetes Care*. 31, 7 (Jul. 2008), 1331–1336. DOI:<https://doi.org/10.2337/dc07-2244>.

[44]

Mills Sr, J.L. 2008. Open bypass and endoluminal therapy: complementary techniques for revascularization in diabetic patients with critical limb ischaemia. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S34–S39. DOI:<https://doi.org/10.1002/dmrr.829>.

[45]

Nelson, E.A. et al. 2006. Systematic review of antimicrobial treatments for diabetic foot

ulcers. *Diabetic Medicine*. 23, 4 (Apr. 2006), 348–359.  
DOI:<https://doi.org/10.1111/j.1464-5491.2006.01785.x>.

[46]

Nelson, E.A. and O'Meara, S. 2006. A series of systematic reviews to inform a decision analysis for sampling and treating infected diabetic foot ulcers. *Health Technology Assessment*. 10, 12: (2006), 1–221.

[47]

NICE: <https://www.nice.org.uk/>.

[48]

NICE clinical knowledge summaries on diabetes: <http://cks.nice.org.uk/diabetes-type-2>.

[49]

NICE clinical knowledge summaries on diabetes – type 2 on Managing foot problems: <http://cks.nice.org.uk/diabetes-type-2#!scenario:4>.

[50]

O'Meara, S. et al. 2006. Systematic review of methods to diagnose infection in foot ulcers in diabetes. *Diabetic Medicine*. 23, 4 (Apr. 2006), 341–347.  
DOI:<https://doi.org/10.1111/j.1464-5491.2006.01830.x>.

[51]

Petrova, N.L. and Edmonds, M.E. 2008. Charcot neuro-osteoarthropathy—current standards. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S58–S61.  
DOI:<https://doi.org/10.1002/dmrr.846>.

[52]

Price, P. 2004. The Diabetic Foot: Quality of Life. *Clinical Infectious Diseases*. 39, Supplement 2 (Aug. 2004), S129–S131. DOI:<https://doi.org/10.1086/383274>.



[53]

Price, P.E. 2008. Education, psychology and 'compliance'. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S101–S105. DOI:<https://doi.org/10.1002/dmrr.851>.

[54]

Prompers, L. et al. 2008. Delivery of care to diabetic patients with foot ulcers in daily practice: results of the Eurodiale Study, a prospective cohort study. *Diabetic Medicine*. 25, 6 (Jun. 2008), 700–707. DOI:<https://doi.org/10.1111/j.1464-5491.2008.02445.x>.

[55]

Prompers, L. and Huijberts, M. 2007. Optimal organization of health care in diabetic foot disease: introduction to the Eurodiale study. *International Journal of Lower Extremity Wounds*. 6, 1 (2007), 7–11.

[56]

Reiber, G.E. et al. 2002. Effect of Therapeutic Footwear on Foot Reulceration in Patients With Diabetes. *JAMA*. 287, 19 (May 2002). DOI:<https://doi.org/10.1001/jama.287.19.2552>.

[57]

Reiber, G.E. and Smith, D.G. 2002. Footwear used by individuals with diabetes and a history of foot ulcer. *Journal of rehabilitation research and development*. 39, 5 (2002), 615–622.

[58]

Robertson, D.A. and MacFarlane, R.M. 1991. Seasonal occurrence of lesions in a diabetic foot clinic. *Diabetic medicine*. 8, 10 (1991).

[59]

Schultz, G.S. et al. 2003. Wound bed preparation: a systematic approach to wound management. *Wound Repair and Regeneration*. 11, s1 (Mar. 2003), S1–S28.

DOI:<https://doi.org/10.1046/j.1524-475X.11.s2.1.x>.

[60]

Shone, A. et al. 2006. Probing the Validity of the Probe-to-Bone Test in the Diagnosis of Osteomyelitis of the Foot in Diabetes. *Diabetes Care*. 29, 4 (Apr. 2006), 945–945.  
DOI:<https://doi.org/10.2337/diacare.29.04.06.dc05-2450>.

[61]

Tendon lengthening and fascia release for healing and preventing diabetic foot ulcers: a systematic review and meta-analysis. - PubMed - NCBI:  
<http://www.ncbi.nlm.nih.gov/pubmed/26300980>.

[62]

Ulbrecht, J.S. and Wukich, D.K. 2008. The charcot foot: Medical and surgical therapy. *Current Diabetes Reports*. 8, 6 (Dec. 2008), 444–451.  
DOI:<https://doi.org/10.1007/s11892-008-0077-z>.

[63]

Valabhji, J. 2012. FOOT PROBLEMS IN PATIENTS WITH DIABETES AND CHRONIC KIDNEY DISEASE. *Journal of Renal Care*. 38, (Feb. 2012), 99–108.  
DOI:<https://doi.org/10.1111/j.1755-6686.2012.00284.x>.

[64]

Vileikyte, L. et al. 2005. Diabetic Peripheral Neuropathy and Depressive Symptoms: The association revisited. *Diabetes Care*. 28, 10 (Oct. 2005), 2378–2383.  
DOI:<https://doi.org/10.2337/diacare.28.10.2378>.

[65]

Vileikyte, L. et al. 2006. Patient Interpretation of Neuropathy (PIN) Questionnaire: An instrument for assessment of cognitive and emotional factors associated with foot self-care. *Diabetes Care*. 29, 12 (Dec. 2006), 2617–2624.  
DOI:<https://doi.org/10.2337/dc06-1550>.

[66]

Vileikyte, L. et al. 2003. The Development and Validation of a Neuropathy- and Foot Ulcer-Specific Quality of Life Instrument. *Diabetes Care*. 26, 9 (Sep. 2003), 2549–2555. DOI:<https://doi.org/10.2337/diacare.26.9.2549>.

[67]

W. Jeffcoate 2008. One small step for diabetic podopathy. *Diabetologia*. 51, Issue 2 (Feb. 2008), 214–215.

[68]

Wu, S.C. et al. 2008. Use of Pressure Offloading Devices in Diabetic Foot Ulcers: Do we practice what we preach? *Diabetes Care*. 31, 11 (Nov. 2008), 2118–2119. DOI:<https://doi.org/10.2337/dc08-0771>.

[69]

Ziegler, D. 2008. Painful diabetic neuropathy: treatment and future aspects. *Diabetes/Metabolism Research and Reviews*. 24, S1 (May 2008), S52–S57. DOI:<https://doi.org/10.1002/dmrr.817>.

[70]

1989. Diabetes Care and Research in Europe: The St Vincent Declaration 1989. 1st Meeting of The St Vincent Declaration Diabetes Action Programme. St Vincent, Italy, 10–12 October 1989. World Health Organisation and International Diabetes Federation.

[71]

Lessons from Eurodiale. *Diabetes/Metabolism Research and Reviews*.

[72]

Stratification of foot ulcer risk in patients with diabetes: a population-based study. *International Journal of Clinical Practice*.

[73]

Therapeutic footwear for people with diabetes.