

PC903: Diabetes of the Foot

[View Online](#)

1

Abbott CA, Carrington AL, Ashe H, et al. The North-West Diabetes Foot Care Study: incidence of, and risk factors for, new diabetic foot ulceration in a community-based patient cohort. *Diabetic Medicine* 2002;**19**:377–84. doi:10.1046/j.1464-5491.2002.00698.x

2

Therapeutic footwear for people with diabetes.
<http://0-onlinelibrary.wiley.com.pugwash.lib.warwick.ac.uk/doi/10.1002/dmrr.435/epdf>

3

Maciejewski ML, Reiber GE, Smith DG, et al. Effectiveness of Diabetic Therapeutic Footwear in Preventing Reulceration. *Diabetes Care* 2004;**27**:1774–82.
doi:10.2337/diacare.27.7.1774

4

Lessons from Eurodiale. *Diabetes/Metabolism Research and Reviews*
<http://0-dx.doi.org.pugwash.lib.warwick.ac.uk/10.1002/dmrr.2266>

5

Stratification of foot ulcer risk in patients with diabetes: a population-based study. *International Journal of Clinical Practice*
<http://0-dx.doi.org.pugwash.lib.warwick.ac.uk/10.1111/j.1368-5031.2006.00899.x>

6

Alder A, Boyko E, Ahroni J. Lower-extremity amputation in diabetes: The independent effects of peripheral vascular disease, sensory neuropathy and foot ulcers. *Diabetes care* 1999;**22**::1029–35. <http://www2.warwick.ac.uk/services/library/search/extracts/md/pc903>

7

Armstrong DG, Lavery LA, Wrobel JS, et al. Quality of Life in Healing Diabetic Wounds: Does the End Justify the Means? *The Journal of Foot and Ankle Surgery* 2008;**47**:278–82. doi:10.1053/j.jfas.2008.02.015

8

Apelqvist J, Bakker K, van Houtum WH, et al. Practical guidelines on the management and prevention of the diabetic foot. *Diabetes/Metabolism Research and Reviews* 2008;**24**:S181–7. doi:10.1002/dmrr.848

9

Berendt AR, Peters EJG, Bakker K, et al. Specific guidelines for treatment of diabetic foot osteomyelitis. *Diabetes/Metabolism Research and Reviews* 2008;**24**:S190–1. doi:10.1002/dmrr.853

10

Boulton AJM, Armstrong DG, Albert SF, et al. Comprehensive Foot Examination and Risk Assessment: A report of the Task Force of the Foot Care Interest Group of the American Diabetes Association, with endorsement by the American Association of Clinical Endocrinologists. *Diabetes Care* 2008;**31**:1679–85. doi:10.2337/dc08-9021

11

Boyko EJ, Ahroni JH, Cohen V, et al. Prediction of Diabetic Foot Ulcer Occurrence Using Commonly Available Clinical Information: The Seattle Diabetic Foot Study. *Diabetes Care* 2006;**29**:1202–7. doi:10.2337/dc05-2031

12

13

14

15

16

17

18

Association between glycated haemoglobin and the risk of lower extremity amputation in patients with diabetes mellitus-review and meta-analysis. - PubMed - NCBI.
<http://www.ncbi.nlm.nih.gov/pubmed/20127309>

19

Ince P, Kendrick D, Game F, et al. The association between baseline characteristics and the outcome of foot lesions in a UK population with diabetes. *Diabetic Medicine* 2007;**24**:977-81. doi:10.1111/j.1464-5491.2007.02189.x

20

Jeffcoate WJ, Price PE. Randomised controlled trial of the use of three dressing preparations in the management of chronic ulceration of the foot in diabetes. *Health Technology Assessment* 2009;**13**:1-86.<http://dx.doi.org/10.3310/hta13540>

21

Jeffcoate WJ, Game F, Cavanagh PR. The role of proinflammatory cytokines in the cause of neuropathic osteoarthropathy (acute Charcot foot) in diabetes. *The Lancet* 2005;**366**:2058-61. doi:10.1016/S0140-6736(05)67029-8

22

Jeffcoate W. Vascular calcification and osteolysis in diabetic neuropathy?is RANK-L the missing link? *Diabetologia* 2004;**47**:1488-92. doi:10.1007/s00125-004-1477-5

23

Krishnan S, Nash F, Baker N, et al. Reduction in Diabetic Amputations Over 11 Years in a Defined U.K. Population: Benefits of multidisciplinary team work and continuous prospective audit. *Diabetes Care* 2008;**31**:99-101. doi:10.2337/dc07-1178

24

Lavery LA, Armstrong DG, Murdoch DP, et al. Validation of the Infectious Diseases Society of America's Diabetic Foot Infection Classification System. *Clinical Infectious Diseases* 2007;**44**:562-5. doi:10.1086/511036

25

Lincoln NB, Radford KA, Game FL, et al. Education for secondary prevention of foot ulcers in people with diabetes: a randomised controlled trial. *Diabetologia* 2008;**51**:1954–61. doi:10.1007/s00125-008-1110-0

26

Mills Sr JL. Open bypass and endoluminal therapy: complementary techniques for revascularization in diabetic patients with critical limb ischaemia. *Diabetes/Metabolism Research and Reviews* 2008;**24**:S34–9. doi:10.1002/dmrr.829

27

Prompers L, Huijberts M, Apelqvist J, et al. Delivery of care to diabetic patients with foot ulcers in daily practice: results of the Eurodiale Study, a prospective cohort study. *Diabetic Medicine* 2008;**25**:700–7. doi:10.1111/j.1464-5491.2008.02445.x

28

Prompers, L, Huijberts M. Optimal organization of health care in diabetic foot disease: introduction to the Eurodiale study. *International Journal of Lower Extremity Wounds* 2007; **6**:7–11. <http://www2.warwick.ac.uk/services/library/search/extracts/md/pc903>

29

Reiber GE, Smith DG, Wallace C, et al. Effect of Therapeutic Footwear on Foot Reulceration in Patients With Diabetes. *JAMA* 2002;**287**. doi:10.1001/jama.287.19.2552

30

Gary Sibbald R, Woo KY. The biology of chronic foot ulcers in persons with diabetes. *Diabetes/Metabolism Research and Reviews* 2008;**24**:S25–30. doi:10.1002/dmrr.847

31

Schultz GS, Sibbald RG, Falanga V, et al. Wound bed preparation: a systematic approach to wound management. *Wound Repair and Regeneration* 2003;**11**:S1–28. doi:10.1046/j.1524-475X.11.s2.1.x

32

Vileikyte L, Leventhal H, Gonzalez JS, et al. Diabetic Peripheral Neuropathy and Depressive Symptoms: The association revisited. *Diabetes Care* 2005;**28**:2378–83.
doi:10.2337/diacare.28.10.2378

33

Vileikyte L, Peyrot M, Bundy C, et al. The Development and Validation of a Neuropathy- and Foot Ulcer-Specific Quality of Life Instrument. *Diabetes Care* 2003;**26**:2549–55.
doi:10.2337/diacare.26.9.2549

34

Wu SC, Jensen JL, Weber AK, et al. Use of Pressure Offloading Devices in Diabetic Foot Ulcers: Do we practice what we preach? *Diabetes Care* 2008;**31**:2118–9.
doi:10.2337/dc08-0771

35

Ziegler D. Painful diabetic neuropathy: treatment and future aspects. *Diabetes/Metabolism Research and Reviews* 2008;**24**:S52–7. doi:10.1002/dmrr.817

36

O'Meara S, Nelson EA, Golder S, et al. Systematic review of methods to diagnose infection in foot ulcers in diabetes. *Diabetic Medicine* 2006;**23**:341–7.
doi:10.1111/j.1464-5491.2006.01830.x

37

Margolis DJ, Hofstad O, Feldman HI. Association Between Renal Failure and Foot Ulcer or Lower-Extremity Amputation in Patients With Diabetes. *Diabetes Care* 2008;**31**:1331–6.
doi:10.2337/dc07-2244

38

Valabhji J. FOOT PROBLEMS IN PATIENTS WITH DIABETES AND CHRONIC KIDNEY DISEASE.

Journal of Renal Care 2012;**38**:99–108. doi:10.1111/j.1755-6686.2012.00284.x

39

Berendt AR, Peters EJG, Bakker K, et al. Diabetic foot osteomyelitis: a progress report on diagnosis and a systematic review of treatment. Diabetes/Metabolism Research and Reviews 2008;**24**:S145–61. doi:10.1002/dmrr.836

40

Bus SA, Valk GD, van Deursen RW, et al. The effectiveness of footwear and offloading interventions to prevent and heal foot ulcers and reduce plantar pressure in diabetes: a systematic review. Diabetes/Metabolism Research and Reviews 2008;**24**:S162–80. doi:10.1002/dmrr.850

41

Cullum N, Nelson E, Flemming K, et al. Systematic reviews of wound care management: (5) beds; (6) compression; (7) laser therapy, therapeutic ultrasound, electrotherapy and electromagnetic therapy. Health Technology Assessment;**5**
.http://www.journalslibrary.nihr.ac.uk/hta/volume-5/issue-9#hometab0

42

Hinchliffe RJ, Valk GD, Apelqvist J, et al. A systematic review of the effectiveness of interventions to enhance the healing of chronic ulcers of the foot in diabetes. Diabetes/Metabolism Research and Reviews 2008;**24**:S119–44. doi:10.1002/dmrr.825

43

Nelson EA, O'Meara S, Golder S, et al. Systematic review of antimicrobial treatments for diabetic foot ulcers. Diabetic Medicine 2006;**23**:348–59. doi:10.1111/j.1464-5491.2006.01785.x

44

Nelson EA, O'Meara S. A series of systematic reviews to inform a decision analysis for sampling and treating infected diabetic foot ulcers. Health Technology Assessment 2006;**10**:1–221.https://dx.doi.org/10.3310/hta10120

45

Price P. The Diabetic Foot: Quality of Life. *Clinical Infectious Diseases* 2004;**39**:S129–31. doi:10.1086/383274

46

Andros G, Armstrong DG. Consensus statement on negative pressure wound therapy (V.A.C. Therapy) for the management of diabetic foot wounds. *Ostomy/wound management* 2006;**Suppl**:1–32. <http://www2.warwick.ac.uk/services/library/search/extracts/md/pc903>

47

Bus SA, van Deursen RWM, Kanade RV, et al. Plantar pressure relief in the diabetic foot using forefoot offloading shoes. *Gait & Posture* 2009;**29**:618–22. doi:10.1016/j.gaitpost.2009.01.003

48

Crews RT, Armstrong DG. A method for assessing off-loading compliance. *Journal of the American Podiatric Medical Association* 2009;**99**:3–100. <https://arlr.iii.com/nonret~S0&atitle=A+method+for+assessing+off-loading+compliance&title=Journal+of+the+American+Podiatric+Medical+Association&aufirst=R.+T.&auinit=&aulast=Crews&issn=87507315&eissn=&coden=&volume=99&issue=2&spage=3&epage=100&quarter=&ssn=&date=2009&sid=&reqtype3>

49

Game FL, Chipchase SY, Hubbard R, et al. Temporal association between the incidence of foot ulceration and the start of dialysis in diabetes mellitus. *Nephrology Dialysis Transplantation* 2006;**21**:3207–10. doi:10.1093/ndt/gfl427

50

Jeffcoate W, Edmonds M, Rayman G, et al. Putting feet first-national guidance at last. *Diabetic Medicine* 2009;**26**:1081–2. doi:10.1111/j.1464-5491.2009.02861.x

51

W. Jeffcoate. One small step for diabetic podopathy. *Diabetologia* 2008;**51**:214-5. <http://0-link.springer.com.pugwash.lib.warwick.ac.uk/article/10.1007/s00125-007-0881-z>

52

Jeffcoate WJ, Chipchase SY, Ince P, et al. Assessing the Outcome of the Management of Diabetic Foot Ulcers Using Ulcer-Related and Person-Related Measures. *Diabetes Care* 2006;**29**:1784-7. doi:10.2337/dc06-0306

53

Krishnan STM, Quattrini C, Jeziorska M, et al. Abnormal LDI flare but Normal Quantitative Sensory Testing and Dermal Nerve Fiber Density in Patients with Painful Diabetic Neuropathy. *Diabetes Care* 2009;**32**:451-5. doi:10.2337/dc08-1453

54

Robertson DA, MacFarlane RM. Seasonal occurrence of lesions in a diabetic foot clinic. *Diabetic medicine* 1991;**8**. <http://www2.warwick.ac.uk/services/library/search/extracts/md/pc903>

55

Reiber GE, Smith DG. Footwear used by individuals with diabetes and a history of foot ulcer. *Journal of rehabilitation research and development* 2002;**39**:615-22. <http://www.rehab.research.va.gov/jour/02/39/5/pdf/reiber.pdf>

56

Shone A, Burnside J, Chipchase S, et al. Probing the Validity of the Probe-to-Bone Test in the Diagnosis of Osteomyelitis of the Foot in Diabetes. *Diabetes Care* 2006;**29**:945-945. doi:10.2337/diacare.29.04.06.dc05-2450

57

Ulbrecht JS, Wukich DK. The charcot foot: Medical and surgical therapy. *Current Diabetes Reports* 2008;**8**:444-51. doi:10.1007/s11892-008-0077-z

58

Vileikyte L, Gonzalez JS, Leventhal H, et al. Patient Interpretation of Neuropathy (PIN) Questionnaire: An instrument for assessment of cognitive and emotional factors associated with foot self-care. *Diabetes Care* 2006;**29**:2617–24. doi:10.2337/dc06-1550

59

Amos A.F., McCarty D.J., Zimmet P. The Rising Global Burden of Diabetes and its Complications: Estimates and Projections to the Year 2010. *Diabetic Medicine* 2004;**14**:S7–85. <http://0-onlinelibrary.wiley.com.pugwash.lib.warwick.ac.uk/doi/10.1002/%28SICI%291096-9136%28199712%2914:5+%3CS7::AID-DIA522%3E3.0.CO;2-R/abstract>

60

Apelqvist J. The foot in perspective. *Diabetes/Metabolism Research and Reviews* 2008;**24**:S110–5. doi:10.1002/dmrr.834

61

Bevilacqua NJ, Rogers LC, Armstrong DG. Diabetic foot surgery: classifying patients to predict complications. *Diabetes/Metabolism Research and Reviews* 2008;**24**:S81–3. doi:10.1002/dmrr.858

62

Bus SA. Foot structure and footwear prescription in diabetes mellitus. *Diabetes/Metabolism Research and Reviews* 2008;**24**:S90–5. doi:10.1002/dmrr.840

63

Game F. The advantages and disadvantages of non-surgical management of the diabetic foot. *Diabetes/Metabolism Research and Reviews* 2008;**24**:S72–5. doi:10.1002/dmrr.816

64

Jeffcoate WJ. Charcot neuro-osteoarthropathy. *Diabetes/Metabolism Research and Reviews*

2008;**24**:S62–5. doi:10.1002/dmrr.837

65

Petrova NL, Edmonds ME. Charcot neuro-osteoarthropathy—current standards. Diabetes/Metabolism Research and Reviews 2008;**24**:S58–61. doi:10.1002/dmrr.846

66

Price PE. Education, psychology and 'compliance'. Diabetes/Metabolism Research and Reviews 2008;**24**:S101–5. doi:10.1002/dmrr.851

67

Diabetes Care and Research in Europe: The St Vincent Declaration 1989. 1st Meeting of The St Vincent Declaration Diabetes Action Programme. St Vincent, Italy, 10–12 October 1989. 1989.https://www.idf.org/sites/default/files/St%20Vincent%20Declaration%201989_WHO%20Euro%20and%20IDF%20Europe.pdf

68

IWGDF | The International Working Group on the Diabetic Foot.
http://iwgdf.org/?option=com_content&task=view&id=16&Itemid=26

69

Foot in Diabetes United Kingdom. <http://www.footindiabetes.org/resources>

70

NICE. <https://www.nice.org.uk/>

71

NICE clinical knowledge summaries on diabetes. <http://cks.nice.org.uk/diabetes-type-2>

72

NICE clinical knowledge summaries on diabetes – type 2 on Managing foot problems.
<http://cks.nice.org.uk/diabetes-type-2#!scenario:4>

73

IDF (International Diabetes Federation). <http://www.idf.org/>