

PC903: Diabetes of the Foot

[View Online](#)

Abbott, C.A. et al. (2002) 'The North-West Diabetes Foot Care Study: incidence of, and risk factors for, new diabetic foot ulceration in a community-based patient cohort', *Diabetic Medicine*, 19(5), pp. 377–384. Available at: <https://doi.org/10.1046/j.1464-5491.2002.00698.x>.

Alder, A., Boyko, E. and Ahroni, J. (1999) 'Lower-extremity amputation in diabetes: The independent effects of peripheral vascular disease, sensory neuropathy and foot ulcers', *Diabetes care*, 22:, pp. 1029–1035. Available at: <http://www2.warwick.ac.uk/services/library/search/extracts/md/pc903>.

Amos A.F., McCarty D.J., Zimmet P. (2004) 'The Rising Global Burden of Diabetes and its Complications: Estimates and Projections to the Year 2010', *Diabetic Medicine*, 14(S5), pp. S7–S85. Available at: <http://0-onlinelibrary.wiley.com.pugwash.lib.warwick.ac.uk/doi/10.1002/%28SICI%291096-9136%28199712%2914:5+%3CS7::AID-DIA522%3E3.0.CO;2-R/abstract>.

Andros, G. and Armstrong, D.G. (2006) 'Consensus statement on negative pressure wound therapy (V.A.C. Therapy) for the management of diabetic foot wounds', *Ostomy/wound management*, Suppl., pp. 1–32. Available at: <http://www2.warwick.ac.uk/services/library/search/extracts/md/pc903>.

Apelqvist, J. et al. (2008) 'Practical guidelines on the management and prevention of the diabetic foot', *Diabetes/Metabolism Research and Reviews*, 24(S1), pp. S181–S187. Available at: <https://doi.org/10.1002/dmrr.848>.

Apelqvist, J. (2008) 'The foot in perspective', *Diabetes/Metabolism Research and Reviews*, 24(S1), pp. S110–S115. Available at: <https://doi.org/10.1002/dmrr.834>.

Armstrong, D.G. et al. (2008) 'Quality of Life in Healing Diabetic Wounds: Does the End Justify the Means?', *The Journal of Foot and Ankle Surgery*, 47(4), pp. 278–282. Available at: <https://doi.org/10.1053/j.jfas.2008.02.015>.

Association between glycated haemoglobin and the risk of lower extremity amputation in patients with diabetes mellitus-review and meta-analysis. - PubMed - NCBI (no date). Available at: <http://www.ncbi.nlm.nih.gov/pubmed/20127309>.

Berendt, A.R. et al. (2008a) 'Diabetic foot osteomyelitis: a progress report on diagnosis and a systematic review of treatment', *Diabetes/Metabolism Research and Reviews*, 24(S1), pp. S145–S161. Available at: <https://doi.org/10.1002/dmrr.836>.

Berendt, A.R. et al. (2008b) 'Specific guidelines for treatment of diabetic foot

Foot in Diabetes United Kingdom (no date). Available at: <http://www.footindiabetes.org/resources>.

Gabbay, R. and Kaul, A., S. (2011) 'Motivational interviewing by podiatric physicians: a method for improving patient self-care of the diabetic foot', *Journal of the American Podiatric Medical Association*, 101(1), pp. 78-84. Available at: <https://arlr.iii.com/nonret~S0&atitle=Motivational+interviewing+by+podiatric+physicians:+a+method+for+improving+patient+self-care+of+the+diabetic+foot&title=Journal+of+the+American+Podiatric+Medical+Association&aufirst=R.&aunit=&auplast=Gabbay,&issn=87507315&eissn=&coden=&volume=101&issue=1&spage=78&epage=84&quarter=&ssn=&date=2011&sid=&reqtype3>.

Game, F. (2008) 'The advantages and disadvantages of non-surgical management of the diabetic foot', *Diabetes/Metabolism Research and Reviews*, 24(S1), pp. S72-S75. Available at: <https://doi.org/10.1002/dmrr.816>.

Game, F.L. et al. (2006) 'Temporal association between the incidence of foot ulceration and the start of dialysis in diabetes mellitus', *Nephrology Dialysis Transplantation*, 21(11), pp. 3207-3210. Available at: <https://doi.org/10.1093/ndt/gfl427>.

Game, F.L. et al. (2012) 'Specific guidelines on wound and wound-bed management 2011', *Diabetes/Metabolism Research and Reviews*, 28, pp. 232-233. Available at: <https://doi.org/10.1002/dmrr.2250>.

Game, F.L. and Jeffcoate, W.J. (2008) 'Primarily non-surgical management of osteomyelitis of the foot in diabetes', *Diabetologia*, 51(6), pp. 962-967. Available at: <https://doi.org/10.1007/s00125-008-0976-1>.

Gary Sibbald, R. and Woo, K.Y. (2008) 'The biology of chronic foot ulcers in persons with diabetes', *Diabetes/Metabolism Research and Reviews*, 24(S1), pp. S25-S30. Available at: <https://doi.org/10.1002/dmrr.847>.

Hinchliffe, R.J. et al. (2008) 'A systematic review of the effectiveness of interventions to enhance the healing of chronic ulcers of the foot in diabetes', *Diabetes/Metabolism Research and Reviews*, 24(S1), pp. S119-S144. Available at: <https://doi.org/10.1002/dmrr.825>.

Hingorani, A. et al. (2016) 'The management of diabetic foot: A clinical practice guideline by the Society for Vascular Surgery in collaboration with the American Podiatric Medical Association and the Society for Vascular Medicine', *Journal of Vascular Surgery*, 63(2), pp. 3S-21S. Available at: <https://doi.org/10.1016/j.jvs.2015.10.003>.

IDF (International Diabetes Federation) (no date). Available at: <http://www.idf.org/>.

Ince, P. et al. (2007) 'The association between baseline characteristics and the outcome of foot lesions in a UK population with diabetes', *Diabetic Medicine*, 24(9), pp. 977-981. Available at: <https://doi.org/10.1111/j.1464-5491.2007.02189.x>.

IWGDF | The International Working Group on the Diabetic Foot (no date). Available at: http://iwgdf.org/?option=com_content&task=view&id=16&Itemid=26.

- Jeffcoate, W. (2004) 'Vascular calcification and osteolysis in diabetic neuropathy?is RANK-L the missing link?', *Diabetologia*, 47(9), pp. 1488–1492. Available at: <https://doi.org/10.1007/s00125-004-1477-5>.
- Jeffcoate, W. et al. (2009) 'Putting feet first-national guidance at last', *Diabetic Medicine*, 26(11), pp. 1081–1082. Available at: <https://doi.org/10.1111/j.1464-5491.2009.02861.x>.
- Jeffcoate, W.J. et al. (2006) 'Assessing the Outcome of the Management of Diabetic Foot Ulcers Using Ulcer-Related and Person-Related Measures', *Diabetes Care*, 29(8), pp. 1784–1787. Available at: <https://doi.org/10.2337/dc06-0306>.
- Jeffcoate, W.J. (2008) 'Charcot neuro-osteoarthropathy', *Diabetes/Metabolism Research and Reviews*, 24(S1), pp. S62–S65. Available at: <https://doi.org/10.1002/dmrr.837>.
- Jeffcoate, W.J., Game, F. and Cavanagh, P.R. (2005) 'The role of proinflammatory cytokines in the cause of neuropathic osteoarthropathy (acute Charcot foot) in diabetes', *The Lancet*, 366(9502), pp. 2058–2061. Available at: [https://doi.org/10.1016/S0140-6736\(05\)67029-8](https://doi.org/10.1016/S0140-6736(05)67029-8).
- Jeffcoate, W.J. and Price, P.E. (2009) 'Randomised controlled trial of the use of three dressing preparations in the management of chronic ulceration of the foot in diabetes', *Health Technology Assessment*, 13(54), pp. 1–86. Available at: <http://dx.doi.org/10.3310/hta13540>.
- Krishnan, S. et al. (2008) 'Reduction in Diabetic Amputations Over 11 Years in a Defined U.K. Population: Benefits of multidisciplinary team work and continuous prospective audit', *Diabetes Care*, 31(1), pp. 99–101. Available at: <https://doi.org/10.2337/dc07-1178>.
- Krishnan, S.T.M. et al. (2009) 'Abnormal LDlflare but Normal Quantitative Sensory Testing and Dermal Nerve Fiber Density in Patients with Painful Diabetic Neuropathy', *Diabetes Care*, 32(3), pp. 451–455. Available at: <https://doi.org/10.2337/dc08-1453>.
- Lavery, L.A. et al. (2007) 'Validation of the Infectious Diseases Society of America's Diabetic Foot Infection Classification System', *Clinical Infectious Diseases*, 44(4), pp. 562–565. Available at: <https://doi.org/10.1086/511036>.
- 'Lessons from Eurodiale' (no date) *Diabetes/Metabolism Research and Reviews* [Preprint]. Available at: <http://0-dx.doi.org.pugwash.lib.warwick.ac.uk/10.1002/dmrr.2266>.
- Lincoln, N.B. et al. (2008) 'Education for secondary prevention of foot ulcers in people with diabetes: a randomised controlled trial', *Diabetologia*, 51(11), pp. 1954–1961. Available at: <https://doi.org/10.1007/s00125-008-1110-0>.
- Maciejewski, M.L. et al. (2004) 'Effectiveness of Diabetic Therapeutic Footwear in Preventing Reulceration', *Diabetes Care*, 27(7), pp. 1774–1782. Available at: <https://doi.org/10.2337/diacare.27.7.1774>.
- Margolis, D.J., Hofstad, O. and Feldman, H.I. (2008) 'Association Between Renal Failure and Foot Ulcer or Lower-Extremity Amputation in Patients With Diabetes', *Diabetes Care*, 31(7), pp. 1331–1336. Available at: <https://doi.org/10.2337/dc07-2244>.
- Mills Sr, J.L. (2008) 'Open bypass and endoluminal therapy: complementary techniques for

revascularization in diabetic patients with critical limb ischaemia', *Diabetes/Metabolism Research and Reviews*, 24(S1), pp. S34–S39. Available at: <https://doi.org/10.1002/dmrr.829>.

Nelson, E.A. et al. (2006) 'Systematic review of antimicrobial treatments for diabetic foot ulcers', *Diabetic Medicine*, 23(4), pp. 348–359. Available at: <https://doi.org/10.1111/j.1464-5491.2006.01785.x>.

Nelson, E.A. and O'Meara, S. (2006) 'A series of systematic reviews to inform a decision analysis for sampling and treating infected diabetic foot ulcers', *Health Technology Assessment*, 10(12:), pp. 1–221. Available at: <https://dx.doi.org/10.3310/hta10120>.

NICE (no date). Available at: <https://www.nice.org.uk/>.

NICE clinical knowledge summaries on diabetes (no date). Available at: <http://cks.nice.org.uk/diabetes-type-2>.

NICE clinical knowledge summaries on diabetes – type 2 on Managing foot problems (no date). Available at: <http://cks.nice.org.uk/diabetes-type-2#!scenario:4>.

O'Meara, S. et al. (2006) 'Systematic review of methods to diagnose infection in foot ulcers in diabetes', *Diabetic Medicine*, 23(4), pp. 341–347. Available at: <https://doi.org/10.1111/j.1464-5491.2006.01830.x>.

Petrova, N.L. and Edmonds, M.E. (2008) 'Charcot neuro-osteoarthropathy—current standards', *Diabetes/Metabolism Research and Reviews*, 24(S1), pp. S58–S61. Available at: <https://doi.org/10.1002/dmrr.846>.

Price, P. (2004) 'The Diabetic Foot: Quality of Life', *Clinical Infectious Diseases*, 39(Supplement 2), pp. S129–S131. Available at: <https://doi.org/10.1086/383274>.

Price, P.E. (2008) 'Education, psychology and “compliance”', *Diabetes/Metabolism Research and Reviews*, 24(S1), pp. S101–S105. Available at: <https://doi.org/10.1002/dmrr.851>.

Prompers, L. et al. (2008) 'Delivery of care to diabetic patients with foot ulcers in daily practice: results of the Eurodiale Study, a prospective cohort study', *Diabetic Medicine*, 25(6), pp. 700–707. Available at: <https://doi.org/10.1111/j.1464-5491.2008.02445.x>.

Prompers, L. and Huijberts, M. (2007) 'Optimal organization of health care in diabetic foot disease: introduction to the Eurodiale study', *International Journal of Lower Extremity Wounds*, 6(1), pp. 7–11. Available at: <http://www2.warwick.ac.uk/services/library/search/extracts/md/pc903>.

Reiber, G.E. et al. (2002) 'Effect of Therapeutic Footwear on Foot Reulceration in Patients With Diabetes', *JAMA*, 287(19). Available at: <https://doi.org/10.1001/jama.287.19.2552>.

Reiber, G.E. and Smith, D.G. (2002) 'Footwear used by individuals with diabetes and a history of foot ulcer', *Journal of rehabilitation research and development*, 39(5), pp. 615–622. Available at: <http://www.rehab.research.va.gov/jour/02/39/5/pdf/reiber.pdf>.

Robertson, D.A. and MacFarlane, R.M. (1991) 'Seasonal occurrence of lesions in a diabetic

foot clinic', *Diabetic medicine*, 8(10). Available at:
<http://www2.warwick.ac.uk/services/library/search/extracts/md/pc903>.

Schultz, G.S. et al. (2003) 'Wound bed preparation: a systematic approach to wound management', *Wound Repair and Regeneration*, 11(s1), pp. S1-S28. Available at:
<https://doi.org/10.1046/j.1524-475X.11.s2.1.x>.

Shone, A. et al. (2006) 'Probing the Validity of the Probe-to-Bone Test in the Diagnosis of Osteomyelitis of the Foot in Diabetes', *Diabetes Care*, 29(4), pp. 945-945. Available at:
<https://doi.org/10.2337/diacare.29.04.06.dc05-2450>.

'Stratification of foot ulcer risk in patients with diabetes: a population-based study' (no date) *International Journal of Clinical Practice* [Preprint]. Available at:
<http://0-dx.doi.org.pugwash.lib.warwick.ac.uk/10.1111/j.1368-5031.2006.00899.x>.

Tendon lengthening and fascia release for healing and preventing diabetic foot ulcers: a systematic review and meta-analysis. - PubMed - NCBI (no date). Available at:
<http://www.ncbi.nlm.nih.gov/pubmed/26300980>.

'Therapeutic footwear for people with diabetes' (no date). Available at:
<http://0-onlinelibrary.wiley.com.pugwash.lib.warwick.ac.uk/doi/10.1002/dmrr.435/epdf>.

Ulbrecht, J.S. and Wukich, D.K. (2008) 'The charcot foot: Medical and surgical therapy', *Current Diabetes Reports*, 8(6), pp. 444-451. Available at:
<https://doi.org/10.1007/s11892-008-0077-z>.

Valabhji, J. (2012) 'FOOT PROBLEMS IN PATIENTS WITH DIABETES AND CHRONIC KIDNEY DISEASE', *Journal of Renal Care*, 38, pp. 99-108. Available at:
<https://doi.org/10.1111/j.1755-6686.2012.00284.x>.

Vileikyte, L. et al. (2003) 'The Development and Validation of a Neuropathy- and Foot Ulcer-Specific Quality of Life Instrument', *Diabetes Care*, 26(9), pp. 2549-2555. Available at: <https://doi.org/10.2337/diacare.26.9.2549>.

Vileikyte, L. et al. (2005) 'Diabetic Peripheral Neuropathy and Depressive Symptoms: The association revisited', *Diabetes Care*, 28(10), pp. 2378-2383. Available at:
<https://doi.org/10.2337/diacare.28.10.2378>.

Vileikyte, L. et al. (2006) 'Patient Interpretation of Neuropathy (PIN) Questionnaire: An instrument for assessment of cognitive and emotional factors associated with foot self-care', *Diabetes Care*, 29(12), pp. 2617-2624. Available at:
<https://doi.org/10.2337/dc06-1550>.

W. Jeffcoate (2008) 'One small step for diabetic podopathy', *Diabetologia*, 51(Issue 2), pp. 214-215. Available at:

<http://0-link.springer.com.pugwash.lib.warwick.ac.uk/article/10.1007/s00125-007-0881-z>.

Wu, S.C. et al. (2008) 'Use of Pressure Offloading Devices in Diabetic Foot Ulcers: Do we practice what we preach?', *Diabetes Care*, 31(11), pp. 2118-2119. Available at:
<https://doi.org/10.2337/dc08-0771>.

Ziegler, D. (2008) 'Painful diabetic neuropathy: treatment and future aspects', *Diabetes/Metabolism Research and Reviews*, 24(S1), pp. S52-S57. Available at:

<https://doi.org/10.1002/dmrr.817>.