

PC903: Diabetes of the Foot

[View Online](#)

[1]

C. A. Abbott et al., 'The North-West Diabetes Foot Care Study: incidence of, and risk factors for, new diabetic foot ulceration in a community-based patient cohort', *Diabetic Medicine*, vol. 19, no. 5, pp. 377–384, May 2002, doi: 10.1046/j.1464-5491.2002.00698.x.

[2]

'Therapeutic footwear for people with diabetes' [Online]. Available: <http://0-onlinelibrary.wiley.com.pugwash.lib.warwick.ac.uk/doi/10.1002/dmrr.435/epdf>

[3]

M. L. Maciejewski, G. E. Reiber, D. G. Smith, C. Wallace, S. Hayes, and E. J. Boyko, 'Effectiveness of Diabetic Therapeutic Footwear in Preventing Reulceration', *Diabetes Care*, vol. 27, no. 7, pp. 1774–1782, Jul. 2004, doi: 10.2337/diacare.27.7.1774.

[4]

'Lessons from Eurodiale', *Diabetes/Metabolism Research and Reviews* [Online]. Available: <http://0-dx.doi.org.pugwash.lib.warwick.ac.uk/10.1002/dmrr.2266>

[5]

'Stratification of foot ulcer risk in patients with diabetes: a population-based study', *International Journal of Clinical Practice* [Online]. Available: <http://0-dx.doi.org.pugwash.lib.warwick.ac.uk/10.1111/j.1368-5031.2006.00899.x>

[6]

A. Alder, E. Boyko, and J. Ahroni, 'Lower-extremity amputation in diabetes: The independent effects of peripheral vascular disease, sensory neuropathy and foot ulcers', *Diabetes care*, vol. 22:, pp. 1029–1035, 1999 [Online]. Available: <http://www2.warwick.ac.uk/services/library/search/extracts/md/pc903>

[7]

D. G. Armstrong, L. A. Lavery, J. S. Wrobel, and L. Vileikyte, 'Quality of Life in Healing Diabetic Wounds: Does the End Justify the Means?', *The Journal of Foot and Ankle Surgery*, vol. 47, no. 4, pp. 278–282, Jul. 2008, doi: 10.1053/j.jfas.2008.02.015.

[8]

J. Apelqvist, K. Bakker, W. H. van Houtum, and N. C. Schaper, 'Practical guidelines on the management and prevention of the diabetic foot', *Diabetes/Metabolism Research and Reviews*, vol. 24, no. S1, pp. S181–S187, May 2008, doi: 10.1002/dmrr.848.

[9]

A. R. Berendt et al., 'Specific guidelines for treatment of diabetic foot osteomyelitis', *Diabetes/Metabolism Research and Reviews*, vol. 24, no. S1, pp. S190–S191, May 2008, doi: 10.1002/dmrr.853.

[10]

A. J. M. Boulton et al., 'Comprehensive Foot Examination and Risk Assessment: A report of the Task Force of the Foot Care Interest Group of the American Diabetes Association, with endorsement by the American Association of Clinical Endocrinologists', *Diabetes Care*, vol. 31, no. 8, pp. 1679–1685, Aug. 2008, doi: 10.2337/dc08-9021.

[11]

E. J. Boyko, J. H. Ahroni, V. Cohen, K. M. Nelson, and P. J. Heagerty, 'Prediction of Diabetic Foot Ulcer Occurrence Using Commonly Available Clinical Information: The Seattle Diabetic Foot Study', *Diabetes Care*, vol. 29, no. 6, pp. 1202–1207, Jun. 2006, doi: 10.2337/dc05-2031.

[12]

R. Gabbay, and A. Kaul S., 'Motivational interviewing by podiatric physicians: a method for improving patient self-care of the diabetic foot', Journal of the American Podiatric Medical Association, vol. 101, no. 1, pp. 78–84, 2011 [Online]. Available: <https://arlis.iii.com/nonret~S0&atitle=Motivational+interviewing+by+podiatric+physicians:+a+method+for+improving+patient+self-care+of+the+diabetic+foot&title=Journal+of+the+American+Podiatric+Medical+Association&aufirst=R.&auinit=&aulast=Gabbay,&issn=87507315&eissn=&coden=&volume=101&issue=1&spage=78&epage=84&quarter=&ssn=&date=2011&sid=&reqtype3>

[13]

F. L. Game and W. J. Jeffcoate, 'Primarily non-surgical management of osteomyelitis of the foot in diabetes', Diabetologia, vol. 51, no. 6, pp. 962–967, Jun. 2008, doi: 10.1007/s00125-008-0976-1.

[14]

S. A. Bus et al., 'Specific guidelines on footwear and offloading', Diabetes/Metabolism Research and Reviews, vol. 24, no. S1, pp. S192–S193, May 2008, doi: 10.1002/dmrr.855.

[15]

'Tendon lengthening and fascia release for healing and preventing diabetic foot ulcers: a systematic review and meta-analysis. - PubMed - NCBI'. [Online]. Available: <http://www.ncbi.nlm.nih.gov/pubmed/26300980>

[16]

F. L. Game et al., 'Specific guidelines on wound and wound-bed management 2011', Diabetes/Metabolism Research and Reviews, vol. 28, pp. 232–233, Feb. 2012, doi: 10.1002/dmrr.2250.

[17]

A. Hingorani et al., 'The management of diabetic foot: A clinical practice guideline by the Society for Vascular Surgery in collaboration with the American Podiatric Medical Association and the Society for Vascular Medicine', Journal of Vascular Surgery, vol. 63, no. 2, pp. 3S–21S, Feb. 2016, doi: 10.1016/j.jvs.2015.10.003.

[18]

'Association between glycated haemoglobin and the risk of lower extremity amputation in patients with diabetes mellitus-review and meta-analysis. - PubMed - NCBI'. [Online]. Available: <http://www.ncbi.nlm.nih.gov/pubmed/20127309>

[19]

P. Ince, D. Kendrick, F. Game, and W. Jeffcoate, 'The association between baseline characteristics and the outcome of foot lesions in a UK population with diabetes', *Diabetic Medicine*, vol. 24, no. 9, pp. 977-981, Sep. 2007, doi: 10.1111/j.1464-5491.2007.02189.x.

[20]

W. J. Jeffcoate and P. E. Price, 'Randomised controlled trial of the use of three dressing preparations in the management of chronic ulceration of the foot in diabetes', *Health Technology Assessment*, vol. 13, no. 54, pp. 1-86, 2009 [Online]. Available: <http://dx.doi.org/10.3310/hta13540>

[21]

W. J. Jeffcoate, F. Game, and P. R. Cavanagh, 'The role of proinflammatory cytokines in the cause of neuropathic osteoarthropathy (acute Charcot foot) in diabetes', *The Lancet*, vol. 366, no. 9502, pp. 2058-2061, Dec. 2005, doi: 10.1016/S0140-6736(05)67029-8.

[22]

W. Jeffcoate, 'Vascular calcification and osteolysis in diabetic neuropathy?is RANK-L the missing link?', *Diabetologia*, vol. 47, no. 9, pp. 1488-1492, Sep. 2004, doi: 10.1007/s00125-004-1477-5.

[23]

S. Krishnan, F. Nash, N. Baker, D. Fowler, and G. Rayman, 'Reduction in Diabetic Amputations Over 11 Years in a Defined U.K. Population: Benefits of multidisciplinary team work and continuous prospective audit', *Diabetes Care*, vol. 31, no. 1, pp. 99-101, Jan. 2008, doi: 10.2337/dc07-1178.

[24]

L. A. Lavery, D. G. Armstrong, D. P. Murdoch, E. J. G. Peters, and B. A. Lipsky, 'Validation of the Infectious Diseases Society of America's Diabetic Foot Infection Classification System', *Clinical Infectious Diseases*, vol. 44, no. 4, pp. 562–565, Feb. 2007, doi: 10.1086/511036.

[25]

N. B. Lincoln, K. A. Radford, F. L. Game, and W. J. Jeffcoate, 'Education for secondary prevention of foot ulcers in people with diabetes: a randomised controlled trial', *Diabetologia*, vol. 51, no. 11, pp. 1954–1961, Nov. 2008, doi: 10.1007/s00125-008-1110-0.

[26]

J. L. Mills Sr, 'Open bypass and endoluminal therapy: complementary techniques for revascularization in diabetic patients with critical limb ischaemia', *Diabetes/Metabolism Research and Reviews*, vol. 24, no. S1, pp. S34–S39, May 2008, doi: 10.1002/dmrr.829.

[27]

L. Prompers et al., 'Delivery of care to diabetic patients with foot ulcers in daily practice: results of the Eurodiale Study, a prospective cohort study', *Diabetic Medicine*, vol. 25, no. 6, pp. 700–707, Jun. 2008, doi: 10.1111/j.1464-5491.2008.02445.x.

[28]

L. Prompers, and M. Huijberts, 'Optimal organization of health care in diabetic foot disease: introduction to the Eurodiale study', *International Journal of Lower Extremity Wounds*, vol. 6, no. 1, pp. 7–11, 2007 [Online]. Available: <http://www2.warwick.ac.uk/services/library/search/extracts/md/pc903>

[29]

G. E. Reiber et al., 'Effect of Therapeutic Footwear on Foot Reulceration in Patients With Diabetes', *JAMA*, vol. 287, no. 19, May 2002, doi: 10.1001/jama.287.19.2552.

[30]

R. Gary Sibbald and K. Y. Woo, 'The biology of chronic foot ulcers in persons with diabetes',

Diabetes/Metabolism Research and Reviews, vol. 24, no. S1, pp. S25–S30, May 2008, doi: 10.1002/dmrr.847.

[31]

G. S. Schultz et al., 'Wound bed preparation: a systematic approach to wound management', *Wound Repair and Regeneration*, vol. 11, no. s1, pp. S1–S28, Mar. 2003, doi: 10.1046/j.1524-475X.11.s2.1.x.

[32]

L. Vileikyte et al., 'Diabetic Peripheral Neuropathy and Depressive Symptoms: The association revisited', *Diabetes Care*, vol. 28, no. 10, pp. 2378–2383, Oct. 2005, doi: 10.2337/diacare.28.10.2378.

[33]

L. Vileikyte et al., 'The Development and Validation of a Neuropathy- and Foot Ulcer-Specific Quality of Life Instrument', *Diabetes Care*, vol. 26, no. 9, pp. 2549–2555, Sep. 2003, doi: 10.2337/diacare.26.9.2549.

[34]

S. C. Wu, J. L. Jensen, A. K. Weber, D. E. Robinson, and D. G. Armstrong, 'Use of Pressure Offloading Devices in Diabetic Foot Ulcers: Do we practice what we preach?', *Diabetes Care*, vol. 31, no. 11, pp. 2118–2119, Nov. 2008, doi: 10.2337/dc08-0771.

[35]

D. Ziegler, 'Painful diabetic neuropathy: treatment and future aspects', *Diabetes/Metabolism Research and Reviews*, vol. 24, no. S1, pp. S52–S57, May 2008, doi: 10.1002/dmrr.817.

[36]

S. O'Meara, E. A. Nelson, S. Golder, J. E. Dalton, D. Craig, and C. Iglesias, 'Systematic review of methods to diagnose infection in foot ulcers in diabetes', *Diabetic Medicine*, vol. 23, no. 4, pp. 341–347, Apr. 2006, doi: 10.1111/j.1464-5491.2006.01830.x.

[37]

D. J. Margolis, O. Hofstad, and H. I. Feldman, 'Association Between Renal Failure and Foot Ulcer or Lower-Extremity Amputation in Patients With Diabetes', *Diabetes Care*, vol. 31, no. 7, pp. 1331–1336, Jul. 2008, doi: 10.2337/dc07-2244.

[38]

J. Valabhji, 'FOOT PROBLEMS IN PATIENTS WITH DIABETES AND CHRONIC KIDNEY DISEASE', *Journal of Renal Care*, vol. 38, pp. 99–108, Feb. 2012, doi: 10.1111/j.1755-6686.2012.00284.x.

[39]

A. R. Berendt et al., 'Diabetic foot osteomyelitis: a progress report on diagnosis and a systematic review of treatment', *Diabetes/Metabolism Research and Reviews*, vol. 24, no. S1, pp. S145–S161, May 2008, doi: 10.1002/dmrr.836.

[40]

S. A. Bus et al., 'The effectiveness of footwear and offloading interventions to prevent and heal foot ulcers and reduce plantar pressure in diabetes: a systematic review', *Diabetes/Metabolism Research and Reviews*, vol. 24, no. S1, pp. S162–S180, May 2008, doi: 10.1002/dmrr.850.

[41]

N. Cullum, E. Nelson, K. Flemming, and T. Sheldon, 'Systematic reviews of wound care management: (5) beds; (6) compression; (7) laser therapy, therapeutic ultrasound, electrotherapy and electromagnetic therapy', *Health Technology Assessment*, vol. 5, no. 9 [Online]. Available: <http://www.journalslibrary.nihr.ac.uk/hta/volume-5/issue-9#hometab0>

[42]

R. J. Hinchliffe et al., 'A systematic review of the effectiveness of interventions to enhance the healing of chronic ulcers of the foot in diabetes', *Diabetes/Metabolism Research and Reviews*, vol. 24, no. S1, pp. S119–S144, May 2008, doi: 10.1002/dmrr.825.

[43]

E. A. Nelson, S. O'Meara, S. Golder, J. Dalton, D. Craig, and C. Iglesias, 'Systematic review of antimicrobial treatments for diabetic foot ulcers', *Diabetic Medicine*, vol. 23, no. 4, pp. 348–359, Apr. 2006, doi: 10.1111/j.1464-5491.2006.01785.x.

[44]

E. A. Nelson and S. O'Meara, 'A series of systematic reviews to inform a decision analysis for sampling and treating infected diabetic foot ulcers', *Health Technology Assessment*, vol. 10, no. 12), pp. 1–221, 2006 [Online]. Available: <https://dx.doi.org/10.3310/hta10120>

[45]

P. Price, 'The Diabetic Foot: Quality of Life', *Clinical Infectious Diseases*, vol. 39, no. Supplement 2, pp. S129–S131, Aug. 2004, doi: 10.1086/383274.

[46]

G. Andros and D. G. Armstrong, 'Consensus statement on negative pressure wound therapy (V.A.C. Therapy) for the management of diabetic foot wounds', *Ostomy/wound management*, vol. Suppl., pp. 1–32, 2006 [Online]. Available: <http://www2.warwick.ac.uk/services/library/search/extracts/md/pc903>

[47]

S. A. Bus et al., 'Plantar pressure relief in the diabetic foot using forefoot offloading shoes', *Gait & Posture*, vol. 29, no. 4, pp. 618–622, Jun. 2009, doi: 10.1016/j.gaitpost.2009.01.003.

[48]

R. T. Crews and D. G. Armstrong, 'A method for assessing off-loading compliance', *Journal of the American Podiatric Medical Association*, vol. 99, no. 2, pp. 3–100, 2009 [Online]. Available: <https://arlir.iii.com/nonret~S0&atitle=A+method+for+assessing+off-loading+compliance&title=Journal+of+the+American+Podiatric+Medical+Association&aufirst=R.+T.&auinit=&aulast=Crews&issn=87507315&eissn=&coden=&volume=99&issue=2&spage=3&epage=100&quarter=&year=&date=2009&sid=&reqtype3>

[49]

F. L. Game, S. Y. Chipchase, R. Hubbard, R. P. Burden, and W. J. Jeffcoate, 'Temporal association between the incidence of foot ulceration and the start of dialysis in diabetes mellitus', *Nephrology Dialysis Transplantation*, vol. 21, no. 11, pp. 3207–3210, Sep. 2006, doi: 10.1093/ndt/gfl427.

[50]

W. Jeffcoate, M. Edmonds, G. Rayman, C. Shearman, L. Stuart, and B. Turner, 'Putting feet first-national guidance at last', *Diabetic Medicine*, vol. 26, no. 11, pp. 1081–1082, Nov. 2009, doi: 10.1111/j.1464-5491.2009.02861.x.

[51]

W. Jeffcoate, 'One small step for diabetic podopathy', *Diabetologia*, vol. 51, no. Issue 2, pp. 214–215, Feb. 2008 [Online]. Available: <http://0-link.springer.com.pugwash.lib.warwick.ac.uk/article/10.1007/s00125-007-0881-z>

[52]

W. J. Jeffcoate, S. Y. Chipchase, P. Ince, and F. L. Game, 'Assessing the Outcome of the Management of Diabetic Foot Ulcers Using Ulcer-Related and Person-Related Measures', *Diabetes Care*, vol. 29, no. 8, pp. 1784–1787, Aug. 2006, doi: 10.2337/dc06-0306.

[53]

S. T. M. Krishnan, C. Quattrini, M. Jeziorska, R. A. Malik, and G. Rayman, 'Abnormal LDIflare but Normal Quantitative Sensory Testing and Dermal Nerve Fiber Density in Patients with Painful Diabetic Neuropathy', *Diabetes Care*, vol. 32, no. 3, pp. 451–455, Mar. 2009, doi: 10.2337/dc08-1453.

[54]

D. A. Robertson and R. M. MacFarlane, 'Seasonal occurrence of lesions in a diabetic foot clinic', *Diabetic medicine*, vol. 8, no. 10, 1991 [Online]. Available: <http://www2.warwick.ac.uk/services/library/search/extracts/md/pc903>

[55]

G. E. Reiber and D. G. Smith, 'Footwear used by individuals with diabetes and a history of foot ulcer', *Journal of rehabilitation research and development*, vol. 39, no. 5, pp. 615–622, 2002 [Online]. Available: <http://www.rehab.research.va.gov/jour/02/39/5/pdf/reiber.pdf>

[56]

A. Shone, J. Burnside, S. Chipchase, F. Game, and W. Jeffcoate, 'Probing the Validity of the Probe-to-Bone Test in the Diagnosis of Osteomyelitis of the Foot in Diabetes', *Diabetes Care*, vol. 29, no. 4, pp. 945–945, Apr. 2006, doi: 10.2337/diacare.29.04.06.dc05-2450.

[57]

J. S. Ulbrecht and D. K. Wukich, 'The charcot foot: Medical and surgical therapy', *Current Diabetes Reports*, vol. 8, no. 6, pp. 444–451, Dec. 2008, doi: 10.1007/s11892-008-0077-z.

[58]

L. Vileikyte et al., 'Patient Interpretation of Neuropathy (PIN) Questionnaire: An instrument for assessment of cognitive and emotional factors associated with foot self-care', *Diabetes Care*, vol. 29, no. 12, pp. 2617–2624, Dec. 2006, doi: 10.2337/dc06-1550.

[59]

Amos A.F., McCarty D.J., Zimmet P., 'The Rising Global Burden of Diabetes and its Complications: Estimates and Projections to the Year 2010', *Diabetic Medicine*, vol. 14, no. S5, pp. S7–S85, 2004 [Online]. Available: <http://0-onlinelibrary.wiley.com.pugwash.lib.warwick.ac.uk/doi/10.1002/%28SICI%291096-9136%28199712%2914:5+%3CS7::AID-DIA522%3E3.0.CO;2-R/abstract>

[60]

J. Apelqvist, 'The foot in perspective', *Diabetes/Metabolism Research and Reviews*, vol. 24, no. S1, pp. S110–S115, May 2008, doi: 10.1002/dmrr.834.

[61]

N. J. Bevilacqua, L. C. Rogers, and D. G. Armstrong, 'Diabetic foot surgery: classifying patients to predict complications', *Diabetes/Metabolism Research and Reviews*, vol. 24, no.

S1, pp. S81-S83, May 2008, doi: 10.1002/dmrr.858.

[62]

S. A. Bus, 'Foot structure and footwear prescription in diabetes mellitus', *Diabetes/Metabolism Research and Reviews*, vol. 24, no. S1, pp. S90-S95, May 2008, doi: 10.1002/dmrr.840.

[63]

F. Game, 'The advantages and disadvantages of non-surgical management of the diabetic foot', *Diabetes/Metabolism Research and Reviews*, vol. 24, no. S1, pp. S72-S75, May 2008, doi: 10.1002/dmrr.816.

[64]

W. J. Jeffcoate, 'Charcot neuro-osteoarthropathy', *Diabetes/Metabolism Research and Reviews*, vol. 24, no. S1, pp. S62-S65, May 2008, doi: 10.1002/dmrr.837.

[65]

N. L. Petrova and M. E. Edmonds, 'Charcot neuro-osteoarthropathy—current standards', *Diabetes/Metabolism Research and Reviews*, vol. 24, no. S1, pp. S58-S61, May 2008, doi: 10.1002/dmrr.846.

[66]

P. E. Price, 'Education, psychology and "compliance"', *Diabetes/Metabolism Research and Reviews*, vol. 24, no. S1, pp. S101-S105, May 2008, doi: 10.1002/dmrr.851.

[67]

'Diabetes Care and Research in Europe: The St Vincent Declaration 1989. 1st Meeting of The St Vincent Declaration Diabetes Action Programme. St Vincent, Italy, 10-12 October 1989'. World Health Organisation and International Diabetes Federation, 1989 [Online]. Available:

https://www.idf.org/sites/default/files/St%20Vincent%20Declaration%201989_WHO%20Europe%20and%20IDF%20Europe.pdf

[68]

'IWGDF | The International Working Group on the Diabetic Foot'. [Online]. Available: http://iwgdf.org/?option=com_content&task=view&id=16&Itemid=26

[69]

'Foot in Diabetes United Kingdom'. [Online]. Available: <http://www.footindiabetes.org/resources>

[70]

'NICE'. [Online]. Available: <https://www.nice.org.uk/>

[71]

'NICE clinical knowledge summaries on diabetes'. [Online]. Available: <http://cks.nice.org.uk/diabetes-type-2>

[72]

'NICE clinical knowledge summaries on diabetes – type 2 on Managing foot problems'. [Online]. Available: <http://cks.nice.org.uk/diabetes-type-2#!scenario:4>

[73]

'IDF (International Diabetes Federation)'. [Online]. Available: <http://www.idf.org/>